

E. HARRISON CAWKER. VOI. 16: NO. 1.

MILWAUKEE, NOVEMBER, 1883.

Terms: \$1.00 a Year in Advance. Single Copies, 10 Cents.

IF + NOT + MORE!

North East, Pa., Aug. 28, 1883.

The John T. Noye Manufacturing Co., Buffalo, N. Y.


Gentlemen:—We have now been running the Rounds' Sectional Roller Mill with Stevens' Corrugations for sixty days, and with the best of results. Before making the change from stones to the roller system I spent two weeks in Ohio and Michigan, visiting some of the best Roller Mills, and I must say that I saw no better work than I am doing now with the Rounds' mill. I am satisfied they are all they are represented to be, if not more. Yours respectfully,

Address for Full Particulars

THE JNO. T. NOYE MANUFACTURING CO.,

BUFFALO, N.Y.

[Mention the United States Miller when you write to us.]



PATENT METALLIC FASTENED

WIRE CLOTH BINDING

FOR BREAKS OR SCALPING REELS.
SIMPLE! DURABLE! CHEAP:


FULLY PROTECTED BY PATENTS.

Prevents all Breaking of the Wire Cloth at the heads of the Tacks or edges of the ribs. The Cloth is more easily put on, can be thoroughly stretched, will wear longer and do better work. Send for samples and prices.

EDW. P. ALLIS & CO., Sole Manufacturers,
Reliance Works, Milwaukee, Wis.

Odell's Roller Mill System

Is now in successful operation in a large number of mills, both large and small, on hard and soft wheat, and is meeting with Unparalleled Success. All the mills now running on this system are doing very fine and close work, and we are in receipt of the most flattering letters from millers. References and letters of introduction to parties using the Odell Rolls and System, will be furnished on application to all who desire to investigate.



Odell's Roller Mill!

Invented and Patented by U. H. ODELL, the builder of several of the largest and best Gradual Reduction Flour Mills in the country.

AN ESTABLISHED SUCCESS

WE INVITE PARTICULAR ATTENTION TO THE FOLLOWING

POINTS OF SUPERIORITY

possessed by the Odell Roller Mill over all competitors, all of which are broadly covered by patents, and cannot be used on any other machine.

1. It is driven entirely with belts, which are so arranged as to be equivalent to giving each of the four rolls a separate driving-belt from the power shaft, thus obtaining a positive differential motion which cannot be had with short belts.

2. It is the only Roller Mill in market which can instantly be stopped without throwing off the driving-belt, or that has adequate tightener devices for taking up the stretch of the driving-belts.

3. It is the only Roller Mill in which one movement of a hand-lever spreads the rolls apart and shuts off the feed at the same time. The reverse movement of this lever brings the rolls back again exactly into working position and at the same time turns on the feed.

4. It is the only Roller Mill in which the moveable roll-bearings may be adjusted to and from the stationary roll-bearings without disturbing the tension-spring.

5. Our Corrugation is a decided advance over all others. It produces a more even granulation, more middlings of uniform shape and size, and cleans the bran better.

We use none but the BEST ANSONIA ROLLS.

OUR CORRUGATION DIFFERS FROM ALL OTHERS, AND PRODUCES

LESS BREAK FLOUR and MIDDLINGS of BETTER QUALITY.

Mill owners adopting our Roller Mills will have the benefit of Mr. Odell's advice and long experience in arranging mills. Can furnish machines on Short Notice. For further information, apply in person or by letter to the sole manufacturers.

STILWELL & BIERCE MANUFACTURING CO.,

Agents for Du Fours Bolting Co.

[Mention this paper when you write to us.]

DAYTON, OHIO, U. S. A.

THE LARGEST MILL FURNISHING ESTABLISHMENT IN THE WORLD.


RELIANCE WORKS.

EDW.P.ALLIS & CO.Prop's.

MILWAUKEE, WIS., U. S. A.

SOLE MANUFACTURERS OF

Gray's Patent Noiseless Belt



RULLER MILLS

Wegmann's Patent Porcelain Rolls.

Unexcelled for reducing Middlings to Flour.

Far ahead of Smooth Iron or Scratch Rolls and entirely superseding the Mill Stones for this purpose.

Read the Following Letters.

Terre Haute, Ind., Aug. 22nd, 1882.

Messrs. E. P. Allis & Co., Milwaukee, Wis.

Gentlemen:—We are very much pleased with the whole eight set of Porcelain Rolls you put in our Mill. The two double set sent us soon after starting up our mill last fall, we put in place of two run of stones for grinding our coarse Middlings.

We find the Flour from the Porcelain Rolls much more evenly granulated and much sharper and cleaner than that we got from the stones, besides the second or fine Middlings are much better, being almost entirely free from germs and not

Yours Truly,

KIDDER BROS.

Kings County Flour Mills, Brooklyn, N. Y., Aug. 15th, 1882. MESSRS E. P. ALLIS & Co.

Gentlemen:—You ask how I like the Porcelain Rolls as compared with Mill Stones.

I have been using the original Porcelain Gear Machines for five years and became convinced a long time ago that Mill Stones could not produce as satisfactory results.


I am now operating your Improved Machine of increased size with nice adjustments, working without noise with Gray's Patent Belt Drive. The Flour it produces is beautifully grainy and strong and its capacity two or three times more than the old Gear Machine.

It runs splendidly, gives no trouble, consumes less power than Mill Stones, dispenses with costly stone dressing and for reducing Middlings and soft branny residuums and tailings is unequaled by any Machine, iron or stone, at least this is my opinion after five years of practical experience.

Yours truly, JOHN HARVEY. Head Miller Kings Co. Mills, Brooklyn, E. D.

[Mention this Paper when you write to us.]

ALSO SOLE MANUFACTURERS OF THE CELEBRATED



These Engines are especially adapted for use in Flouring Mills-being unsurpassed in Simplicity, Durability and ECONOMY OF FUEL, and far ahead of any other

Automatic Cut-off Engines.

Send for catalogues of Roller Mills, Flour Mill Machinery, Saw Mill Machinery, Reynolds' Corliss Engines. etc., etc., address:

Edw. P. Allis & Co.,

MILWAUKEE, WIS.

The following is a partial list of Flouring Mill owners who are using the Reynolds' Corliss Engines.

	The following is a	partial list o
	J. B. A. Kern	Milwaukee. Wis
	LaGrange Mill Co	Red Wing, Minn
	New Era Mills	Milwankee, Wis
	Daisy Flour Mills	Milwaukee, Wis
	Winona Mill Co	Winona Minn
	W. D. Was burn & Co	Anoka Minn
	Archibald, Schurmeier & Smith	St. Paul, Minn
	White Listman & Co	La Crosse, Wis
	Milwaukee Milling Co	Milwaukee, Wis
	Stuart & Douglass	Chicago, Ill.
	Stillwater Milling Co	Stillwater Minn
	Otto Troost	
	E. T. Archibald & Co	Dundas, Minn.
	C. McCreary & Co	Sacramento, Cal.
	Gardner & Mairs	Hasting, Minn.
	J. Schuette & Bro	Manitowoc, Wis.
i	Minnetonka Mill Co	Minnetonka, Minn.
	J. D. Greene & Co	Faribault, Minn.
	F. Goodnow & Co	Salina, Kansas.
	A. L. Hill.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Faribault, Minn.
	Beynon & Maes	Owatonna, Minn,
	Eagle Mill Co	New Ulm, Minn.

•	Flouring will owners will are using
	Albert WehausenTwo Rivers, Wis.
J	Green & Gold
	Meridan Mill Co Meridan Minn
	Townshend & ProctorStillwater, Minn.
	Sooy & BrinkmanGreat Bend, Kansas.
	Frank Clark
	N. J. Sisson Mankato, Minn.
	Jas. Campbell
	C. J. CogginWauconda, Ill.
	J. Wilson Algona Towa
ı	Ames & HurlbutHutchinson, Minn.
ı	Lincoln BrosOlivia, Minn.
1	Northey BrosColumbus Junction, Iowa.
ı	Bryant Mill CoBryant, Iowa.
1	David Kanford County County Lower
ł	David KepfordGrundy Centre, Iowa Waterbury & WagnerJanesville Minn
ı	W A Westbarbard Couth Town Will
J	W. A. WeatherheadSouth Lyons, Mich.
1	Geo. BierlineWaconia, Minn.
ı	James McCaffertyBurton, Mo.
١	Geo P. KehrMenomonee Falls, Wis
ı	Winona Mill Co. compounding their present 24x60 Winona M.
I	Forest Mills CoForest, Minn.

the majiralas serines	Bco.
L. H. Lanier & Son	Nashville, Tenn.
Grundy Centre Milling Co	Grundy Centre, Iowa.
B. D. Sprague	Rushford, Minn.
The Eisenmeyer Co	Little Rock, Ark.
A. W. Ogilvie & Co	Montreal, Canada. Buffalo. N. Y.
A. A. Taylor	Toledo, O.
Pindell Bros. Co	
Kehlor Milling Co	East St. Louis. Ill.
Walsh, DeRoo & Co	
Goodlander Mill and Elevator Co	Fort Scott, Ks.
W. Seyk & Co	Kewaunee, Wis.
Topeka Mill and Elevator Co	Topeka, Kan,
Strong Bros	Fargo, D. T.
Coman & Morrison	Fox Lake, Wis.
J. G. Schaapp	Grand Island, Neb.
Fred Schumacher	Akron. Ohio.
Warren Mfg. Co	Warren, Minn

E. HARRISON CAWKER. { VOL. 16, NO. 1. }

MILWAUKEE, NOVEMBER, 1883.

Terms: \$1.00 a Year in Advance Single Copies, 10 Cents.

CLEANING RICE IN SAN FRANCISCO. THE INDIA RICE MILL.

The question of cleaning rice in San Francisco has received new life since the late changes in the tariff. These leave a difference of ic. per pound in duty between cleaned rice and that needing to be cleaned. It does not cost to. per pound to clean rice in San Francisco, but what it does cost is known only to the owners and managers of the India rice mill -the only one of the kind on the Pacific coast. It is, however, enough to cause capital to take a deep interest in the proper preparation in this city of an article used by one hundred thousand Chinese in this country, four hundred millions in Asia and a large number of millions of Americans and Europeans to whom rice is a luxury rather than a necessity. When it is known that we import forty to sixty millions pounds of rice a year, and that in the dim uncertain future, perhaps, three-quarters of a cent may be realized on the-say forty millions pounds-the value of the rice mill, from an industrial point of view, may be measured.

It is, however, only by the exercise of inventive skill that this three-quarters of a cent may be made, and there is a secret in connection with the process employed here that is known only to the parties concerned. What the secret is we do not know, but we have seen the mill that cleanses it and can tell a little of what we saw. Under the pilotage of Everett Jones, of the firm of S. L. Jones & Co., we wended our way to 105, 107 Fremont street the other day. Here is the outer shell of the mill, a stout frame building, that has been used several times and witnessed many strange doings in San Francisco. It is two stories in height and covers a lot 70x70. The first floor is devoted to storing the uncleaned rice or the paddy, as the case may be. Here also may be found the bales of mats for the prepared rice and of rattans for securely binding them. Here also is the place where the rice to be operated on is emptied into a receptacle, whence it is carried from the hopper to the top story of the mill. Having seen it droped here, we climbed up stairs to see what became of it. There we found a stream of the purest, cleanest, nicest rice we ever saw, coming forth from the mill. This was next packed in 48-pounds bags, and was ready for sale. The packing is done on the second floor by two Chinamen adept in the business, who put it up with rattan binding the same as is done in China. The rattans and mats are imported in bales from China, about four pounds of rattan being used with every mat. The latter come along 250 in a bale. After seeing all this we were taken into the secret recesses of the mill. Here we found three mil's in operation. The first loosens the husk, the second breaks it, the last one cleans the rice thoroughly. With paddy, which is rice in the hull, imported from the Sandwich Islands, five mills are used. The state of each mill can be known only by applying the ear to it, and then the sound of grinding tells the practised miller whether the rice is being ground too fine or not. One result of the process is a fine mealy substance resembling bran, which sells at the same price, but which, it is claimed, will feed twice as many cows as an equal quantity of bran. There are other products, but of these we forbear to speak. One thing we learned what will be new to most of our readers, and that is that no Chinese will eat rice until it has been prepared by being mixed with it in the process of grinding a powder known as chinam, a description of kalsomine prepared from some species of pulverized rock. It gives the rice a gravelly feel in the hand and a darker color. What virtues, if any, are ascribed to it, we did not learn. About four gases of combustion. barrels of it are used with 5,000 pounds of rice, and it costs \$4.50 per barrel. As, however, about half of it has to be thrown away, there are really eight barrels used. An attempt is being made by the miller, Mr. Rose, to reduce the quantity.

The rice now being cleaned was brought of oxygen, and w parts of water, may be calhere by the McLaurin, 1,500 mats of it, 198 pounds to the mat. Some time since the mill cleaned paddy for Messrs. Grinbaum & Co., leading importers of Hawaiian produce. In 12 hours it can clean 225 to 245 bags of Hawaiian rice, and it has cleaned 600 bags of mixed rice. It has, therefore, a capacity of 184,800 bags a year.

A few months since a fine engine of 90-horse power, and with an immense fly-wheel, and in splendid condition, was put in. It was built by the Union Iron Works. It is an O'Neill Cut Off. It has run smoothly ever since it was first set up. It is fixed in a concrete foundation 14 feet deep. The whole cost \$6,000.

Everything about the mill is in trim order and workmanlike condition. The miller, Mr. Rose, has been in the business 30 years, 21 of which has been devoted to this particular mill. He knows everything about it with a particularity impossible to any one but a born miller. He lost two of the fingers of his left hand in it. He was in the accident on the South Pacific Coast Railroad a few years since, and received \$6,000 for his injuries. He is assisted in his labors by five white men and seven Chinamen. The mill has been at its present location 12 years. It was at one time at North Point, then on Beale, between Mission and Market, when after another removal it reached its present site. The proprietor is Wm. M. Greenwood, but Messrs. S. L. Jones & Co. are also interested, and have been for a great many years back. It is most efficient with its new

THE THEORETICAL CALORIFIC VALUE OF FUELS.

The many tests made on the continent during the past fifteen or twenty years have not furnished much material of value for ascertaining the comparative efficiency of boilerfurnaces, and the combustion of fuel in them. As Mr. William Kent pointed out recently, the few data on record here cannot be accepted, although some of them appear to us to possess a value as giving data as to the relative merit of different kinds of fuel. The Germans, in their thorough way of taking up technical subjects, have quite recently struggled with this one, the two leading associations, the Society of Engineers and the Association of Steam-Boiler Users, appointed a committee which has just reported. Mere competitive tests, without full examination of the entire process of combustion, are of little use. The work of the fireman must be checked by chemical analysis and a complete set of observations. There are cases on record where the same fireman, using the same coal in the same boiler on two successive days, evaporated 8.45 and 7.37 pounds of water per pound of fuel. The Germans, therefore, ineist that the only means of getting at a good estimate of the work of a fireplace is to analyze the gases of combustion, and compare the loss of heat through that source with the theoretical calorific value of the fuel. They would thus be saved the expense of many costly experiments to test boiler appliances and settings, for which their inventors generally claim, in a modest way, a saving of at least from 20 to 30 per cent. of fuel. It is true that such an examination of the gases entails expenditure and is troublesome; but the results afford a clew to many sources of loss, and thus pave the way for an improvement.

The report of the committee referred to gives interesting instructions on the method of computing the theoretical calorific value of a fuel and the loss through the escaping

The quantity of air, L, required for the complete combustion of a kilogram of fuel, containing by analysis e parts of carbon, h parts of hydrogen, s parts of sulphur, o parts

*From a paper read before the Society of Public Aual yels on the 28th of July, 1888, by Otto Hehner.

culated as follows:

 $\frac{2667c+8\hbar+s-o}{21\times1.48}$) x100—L cubic meters.

There are wide variations in the data chosen in the computation of the calorific value of fuel according to the Dulong formula. Some make use of the simple formula.

 $W=8000 c + 34,500 (h-\frac{1}{8} o).$

Others make deductions for the hygroscopic water, as under:

W=8000 + 84,400 $(h-\frac{1}{6} o)$ -637 w.

Others take into account the heat required to evaporate the total water formed during the process of combustion, like Ferrini, who uses the following formula:

W=8100 c + 84,500 h - 600 (w + 9 h)

The most accurate method is certainly to use the calorimeter; but the determinations with its use are so troublesome that, for practical purposes, computation from elementary analysis of the fuel will probably be generally retained. The commission rejects the practice of assuming that the oxygen found by analysis should be computed as combining with a corresponding quantity of hydrogen in forming water. It is argued by them that due deductions should be made for the fact that, by the combustion of the hydrogen of reduce the calorific value of the hydrogen to 28,800 instead of 34,220 calories, which is the average of the determinations of Thau, Animprovements, and beats anything on the drews, Thomsen, Favre & Silbermann, and North American continent in the shape of a Schuller & Wartha. They have therefore put forward the formula:

W- 8100 c + 28,800 (h- $\frac{1}{6}$ o) + 2500 s−600 w.

The theoretical calorific value of a fuel may thus be found from its analysis .- Coal.

THE NEW FLOURING MILLS OF J. K. MULLEN & CO., IN DENVER, COLORADO.

It has been the boast of Colorado for a number of years that the article of flour produced here is superior to that of any other state in the Union. This fact is largely due to the excellent quality of wheat grown here; but experience has shown that poor flour may be produced from good wheat when placed in the hands of incompetent millers, or where inferior machinery is used. The old mill-stone that has done such good service in the past has seen its day and is now being replaced with more improved machinery, which, instead of grinding the wheat so fine that it is impossible to separate all of the woody substance from it, takes it through a series of rollers, each set a trifle closer than the preceding one until the last one is reached, which delivers the pure kernel of the grain entirely separated from the bran or woody aubstance.

In 1879, now nearly five years ago, Messrs. J. K. Mullen & Co., introduced into their flouring mill, corner Lawrence and Eighth streets, the first pair of rolls ever sent to Colorado. At that time the introduction of the rolls was considered the wildest kind of an experiment, and the miller who would think of replacing the old millstone with a set of rolls would be considered a novice in the milling business. The use of the first set of rolls was satisfactory to them, and was followed by three more double sets, and in June, 1881, they put in their mill twenty-two sets of rolls and retained six run of stone, and since that time they have operated their mill steadily, day and night, on Colorado wheat.

As this mill was not of sufficient capacity to meet the requirements of their business, they decided to build a new and larger one, and work was begun in February of this year, under the supervision of Mr. J. A. McIntyre, who, before a brick was laid, designed the entire building, and located the exact position of every machine, pulley, and belt in the immense building. The magnitude of this undertaking cannot be realized except by a per- corn crop this year.

sonal inspection of the network of machinery, belting, gearing, etc., occupying the seven floors of the building, and all driven by one mammoth engine. The main building is 90x 65 feet, the foundation being four feet of solid masonry. The walls are thirty inches at the base, and taper to sixteen inches at the top. The timbers supporting the several floors are massive and strong.

The engine room is 30x40 feet and contains the largest engine in the State, it is of the Reynolds-Corliss pattern, four hundred-horse power and drives machinery requiring two miles of belting with apparent ease. The flywheel is eighteen feet in diameter and is supplied with a thirty-two-inch belt. The exhaust from the engine is forced into a condenser which returns the water to the boiler, thus saving considerable power. The wheat is unloaded direct from the cars into a "conveyor," from which it is taken by the elevator to the garners above. These garners will hold about 10,000 bushels. A car is unloaded in this way in twenty-five minutes. From the garners the wheat is taken as desired and wet down twenty-four hours before grinding, having previously passed through a cleansing process. The first set of rollers through which it passes barely cracks the grain, the second squeezes it a little harder, and so on, the coal, steam is produced, which carries off until it has passed through twenty-four sets a certain quantity of heat. They therefore of rolls, producing what is called middlings, a separation having been made between each set, thus gradually separating the flour from the bran. It then goes through the same number of rolls again, which produces the three grades of flour, about 30 per cent. being what is known as patent flour. Throughout the entire mill is a system of dust collectors, a recently patented invention, which, as its name indicates, collects the dust, and it works to a charm. Of the many other machines and devices we have not the space to speak. The whole works automatically, and from the time the grain is taken from the cars, it is not touched except by machinery, until the sack is filled and ready to be sewed up.

The capacity of the mill is about one thousand sacks of flour every twenty-four hours. The machinery was all furnished by E. P. Allis & Co., of Milwaukee, Wisconsin. They now have contracts to supply machinery of a similar kind in different parts of the State. Mr. J. A. McIntyre, who represents the firm in Colorado, is thoroughly conversant with his business, and is doing much to elevate and improve the quality of flour produced in Colorado.—From Denver Republican, Oct. 1883.

A PENNY WATER PURIFIER .- Mr. Frederick Guthrie, of the Science Schools at South Kensington, sends to the Pall Mall Gazette suggestions for making a penny water cleaner. Proceeding upon the principle of aeration, and the assumption that subtle as the disease germs in water may be they shall not escape the touch of the oxygen. Mr. Guthrie argues that to thoroughly purify water it should be allowed to run over as large a surface as possible, and while so running it should be freely exposed to the air. To make the filter, a flower-pot and a brick are required. Break the bottom out of the flowerpot in such a way as to leave edge enough to hold up haif a brick. Let one corner of the half brick stand out through the bottom hole. Break up the rest of the brick into bits about as big as a quarter of a walnut, and throw them into the pot. Soak the whole overnight in a pail of water and let it drain. The water which is to be purified should be allowed to drip upon the middle of the chips of brick, and after a few hours the water which drops from the bottom will be perfectly pure and wholesome. This purifier, unlike most of those in general use, combines a rather coarse filtration with an effective aëration, and something of a specific chemical action as well.

LOUISIANA is reported to have an excellent

UNITED STATES MILLER.

PUBLISHED MONTHLY. OFFICE Nos. 116 & 118 GRAND AVENUE, MILWAUKER, WIR. Subscription Price.....
Foreign Subscription.....\$1 per year in advance....\$1.50 per year in advance.

MILWAUKEE, NOVEMBER, 1888.

ANNOUNCEMENT

WWW. DUNHAM, Editor of "The Miller," 69 Mark Lane, and HENRY F. Gillig & Co., 449 Strand, London, England are authorized to receive subscriptions for the UNITED STATES MILLER.

We send out monthly a large number of sample copies of the UNITED STATES MILLER to millers who are not subscribers. We wish them to consider the receipt of a sample copy as a cordial invitation to them to become regular subscribers. Send us One Dollar in money or stamps, and we will send THE UNITED STATES MILLER to you for one year.

The United States Consuls in various parts of the world who receive this paper, will please oblige the publishers and manufacturers advertising therein, by placing it in their offices where it can be seen by those parties seeking such information as it may contain. We shall be highly gratifled to receive communications for publication from Consuls or Consular Agents everywhere, and we believe that such letters will be read with interest, and will be highly appreciated.

ATTENTION FLOUR MILL OWNERS.

We desire all flour-mill owners to write to us, giving us their correct address, with post-office. county and state. Please state also capacity of mill in barrels per day of 24 hours, what kind of power is used, and whether stones or rollers or. both stones and rollers are used. Your compliance with above request will confer a benefit not only on us and the mill-furnishers and flour dealers, but on yourself. Address, as early as

E. HARRISON CAWKER.

Pub. of Cawker's American Flour Mill Directory. 116 & 118 Grand Ave., Milwaukee, Wis.

MINNEAPOLIS flouring mills are reported to have made about 2,000,000 barrels of flour from January 1st to October 30th.

THE flour exhibited at the Cincinnati Exposition, by J. L. Allard of Paducah, Ky., was awarded the silver medal. It was made on Allis' Rolls.

D. G. TEPPER, Esq., called on us yesterday (Oct. 31). Mr. Tepper is the editor of the Millers' Journal, New York. He has been on a short visit to Minneapolis and is now on his way home. He reports business moderately fair in the sections he has visited.

THE Northwestern Miller suggests a celebration of the day when the first roller-mill was started in America. Yes, by all means let's celebrate that day, and then follow up the "Roller Mill Day" with a "Middlings Purifier Day"; a "Centrifugal Day"; a "Milling Newspaper Day"; and wind up with a "rum 'un" to celebrate the day when George Miller spanked the Northwestern Miller through the columns of the Millers' Gazette. By "Judas"! let's celebrate.

Alderman Hadley, who was entitled, judging by precedents to be elected Mayor of London, was defeated for the reason that he worried to death, and perhaps financially crippled by being forced into an office which at this distance seems to be for sale for pounds, shillings and pence.

ONE of the most attractive and best arranged exhibitions of flour mill machinery at the Southern Exposition, Louisville, Ky., is that of Stout, Mills & Temple of Dayton, Ohio. It consists of one Gilbert Combination reduction Roller Mill, and two Livingston double belted mills in motion, and two new American Turbines. The Gilbert Combined Mill is one of cotton has the same grade. the latest and most successful inventions in milling machinery. It is used in a gradual reduction roller mill to make the breaks. The for the duster and middlings for the finishing rolls or stones, and purifiers. Besides making the breaks, it does all scalping and elevating between same, and aspirates the product after each separation, doing away with an immense amount of machinery. The Livingone of the best in the market. Some of its principal features are its simplicity of construction, yet perfect adjusting devices, belt drive, cultivation and use of their mental faculties.

most complete screw tightener, and many others, too numerous to mention here. The new American Turbine is so well known that it is unnecessary to dwell upon its merits generally. The two on exhibition are of the latest improved pattern, the wheel being one solid casting, making it the strongest wheel made.

No one visiting the exposition should fail to see Stout, Mills & Temple's exhibit, in S. W. Section, Col. D and E, No. 22.

The bran packer flurry has almost spent its force—and the dollars of giddy experimenters have at the same time vanished. Does any one suppose that \$1,000 will be forthcoming after its "stimulating" effect has been shown?—The Millstone.

The above clipping seems to be a kind of insinuation that the \$1,000 premium offered by the Millers' National Association for the invention of a machine for packing bran, which will meet the requirements set forth by the committee in their circular to the public, was not a bona fide offer. We desire to say that it is a bona fide offer-and that the most suitable machine exhibited to the committee, will be awarded the premium-and that the \$1,000 necessary for the payment thereof is now in the hands of the treasurer.

A prominent Milwaukee miller said to us while on 'Change yesterday (Oct. 31): "The milling business is dull, and there is no present prospect of improvement. There is too much flour being made, and put on the market. We have got too many mills both big and little. Millers should make some such arrangement as distillers have. When there is a surplus of whisky on the market, the distillers' association, committee meets and issues an order for every distiller to shut down for a specified time, or to run to only one half or one-third of their capacity until the consumption in a measure catches up with production, and this is the way that they keep the whole business from going to ruin. The plan is a good one. As it is now millers are compelled to speculate and they often fail at that. It is a thing I cannot understand, why, in the present state of the trade, millers will increase their capacity and build new mills, when everybody knows that knows any thing about it, that we have three times as many mills as we need."

Some other millers consider trade fair, and do not complain. Eastern millers are doing a good business. St. Louis millers claim to have a fair demand for all they can make at good but not fancy prices.

A NEW OHIO MILL.

The old Amanda Mills, at Amanda, Fairfield county, Ohio, located on Miami and Erie Canal, owned and operated by Messrs. Jewell & Co., have just undergone a complete remodeling to the gradual reduction system. Having a wide reputation for turning out the best brands of flour in this market, by the old process. Messrs. Jewell & Co., were not satisfied to take a back seat, so after careful investigation in regard to the several roller mills and systems now in use, decided to put in the Livingston rolls and system, throwing out all the old bolts, and nearly all the old machinery, replacing them with new bolting chests, centrifugals and purifiers. The plans and all the machinery were furnished by Stout, Mills & Temple, of Dayton, Ohio. The work being superintended and diagram made was not supposed to be rich enough to main- by Jno. Livingston, milling engineer for S. M. tain the expensive dignity of the office. Al- & T. Mr. Geo. Hunker is headmiller, having derman Hadley may be congratulated that he served in that capacity many years. The is privileged to attend to his honorable calling mill is 100 barrels capacity, twenty-four hours. as a successful British miller, instead of being It was started up two weeka ago, and everything moved off in perfect order, without a single change being necessary. The flour is right up to the best grades in market, and everything is satisfactory to the proprietors.

COTTON PICKED BY MACHINERY.

The following telegram appeared in the daily papers on the morning of Oct. 31st: CHARLESTON, S. C., October 80 .- The first bale of cotton ever picked from a field by machinery was exhibited today at the Charleston Cotton Exchange, and attracted general attention. The condition of the cotton is pronounced by cotton men to be as good as the hand-picked. The

What a world of thought, anxiety and wealth has been expended to secure the above noted result, and what a change it will proproducts from the machines are finished bran duce in the agricultural labor of the South. It is to the cotton planter of the South what the grain reaper is to the farmer of the North and West. The mechanical cotton-picker will not strike, or go off to camp-meeting, when the crop is ready for harvest, but will take the place of thousands of too often indoston belted mill is another late invention in lent colored laborers. It will in the end prove grain reducing machinery, and is undoubtedly a blessing to the colored people of the South, for they will be compelled to seek other channels of labor which will require of them greater

RECENT MILLING PATENTS.

No. 284,648. Grinding Mill.—Gustavus B. Maynadier Boston, Mam., assignor of one-half to Wm. H. Cilley same place.

No. 284,672. Machine for Cleaning Grain.—John R Reynolds, Jackson, Mich.

No 284,728. Apparatus for Grian-Drying and Coffee-Roasting.—Wm. W. Dunn, Fort Worth, Tex. No. 282,211. Machine for Cleaning Flaxseed—Lyman Morgan, Port Washington, Wis.

No. 282.857. Millstone Ventilator—Hermann J. Nelles No. 282,415. Grain Separator—P. Van Gelder, Sowerby Bridge, County of York, England. Patented in Eng-land, July 18, A. D., 1882, No. 3,415.

No. 282,424. Grain Elevator-Wm. Watson, Chicago, 11is No. 282,425. Grain Elevator-Wm. Watson, Chicago, Illa No. 283,018 Grain Weighing and Bagging Machine-James B Pelton, Mount Pleasant, Md

No. 283,189. Grain Elevator—Amy Bardeen, Blackstone Mass.

No. 288,212. Machine for hulling and Granulating Grain—Giles & Cranson, Silver Creek, N. Y.
No. 288,480. Machine for Cleaning Split Grain—Louis Gathmann, Chicago, Ills.
No. 2-8,518. Grinding Mill-Silas C. Schoffeld, Freeport, Ills.
No. 283,597. Millstone Driver—George C. Gordon, Mounds-ville, W. Vs.

No. 288,689. Roller Grinding Mill-Robert Morrell, Mont clair, N. J

No. 283,715. Cut-off for Bolting Chest Conveyors—Lawrence B. Kohnie, and William B. Hamilton, Lima, Ohio.
No. 283,778. Grain and Seeparator—
John H. Hamaker, Canton, Ohio, assignor of one-third to
Edwin W. Hamaker and Ulysses S. Hamaker, both of
same place.

No. 288,814. Centrifugal Reel—Louis W. Pruss, Minneapolis, Minn.

No. 283,899. Bolting Chest—Lawrence B. Kohnie and William B. Hamilton, Lima, Ohio.
No. 283,970. Grain Drier—Albert E. Clutter, Lima, Ohio.

No. 283 981. Grain-Cutting Machine—William Eberhard, Akron, (thio, assignor of one-half to George T. Ford, same place.

No. 284,135. Roller Mill—John Livingston, Dayton, Ohio, assignor to Stout, Mills & l'emple, same place No. 284,268. Grain Elevator—John E. Walsh, New York, N. Y.

No. 284,266. Grain Drier and Cooler—Winsor Beebe, Buffalo, N. Y.

To 284,284. Process of Curing Cereals—George Davis, Ottawa, Minn. No. 284,324. Endiess-Belt Conveyor-Edward H. Parker, Eau Claire, Wis., and Clark Robinson, Hornellsville, N. Y.

No. 284,466. Grinding and decorticating Milk—Robert H. Minister, Baltimore, Md.
No. 284,488. Middlings Purifier—John Russell, Berlin, Pa.

No. 284,489. Grain Cleaner—John Russell, Berlin, Ps. No. 284,493. Grain Separator—John Russell, Berlin, Pa

No. 284,535. Millstone Dress—David D. Brooks, Wash-ington, Edgefield County, S. C. No. 284,681. Flour Sifter—John E. Welling, Georgetown, Ky., assignor of one-half to Albert Degaris, same place.

THE TARIFF.

THE WHY AND THE WHEREFORE. (For the THE UNITED STATES MILLER, by John W. Hinton of Milwaukee.)

The questions are so often asked, why change the tariff? why advocate free trade? etc., etc., when it is known, that no country in the world has progressed as has the United States; in no other country has wealth been so rapidly accumulated; nowhere else are good generally, and so thoroughly "promotive of the general welfare." Wherein is there, or where has any one shown the necessity for a change?

As to the growth and prosperity of our country, I will cite here the letter of Alexan der McEwan, of England, to Lord Beacons

field, December 1, 1879:

"The United States have grown from 20,000,000 of population in 1845 to 50,000,000 at the present day; their exports from \$100, 000,000 to \$775,000,000 per annum. Their home trade, carefully protected. estimated now at more than \$5,000,000,000, exceeds our whole home and foreign trade put to gether. As far as their relations to us are concerned, they are sending us this year over \$500,000,000 of commodities, and taking from us about \$100,000,000, and while we take from America principally food and cotton, the commodities she takes from us are such as she can produce berself or do without in case of need. In war she would be independent of us, but in our requirements we are absolutely dependent upon her."

Such is the testimony of one of the ablest men in Eugland, furnished by request to the Prime Minister of Great Britain. Comment is unnecessary—the truth speaks for itself.

There is a class of persons, who favor free trade, for the basest of all purposes, moved thereto by the most mercenary of desires for personal ends, the "general welfare" being totally ignored. This class was well described by the good and grandly benevolent Peter Cooper, in his letter to M. H. Maynard, of Tennesee, May 2, 1872:

"There are thousands of those now engaged of mortgages, who hope to buy in the property for the face of the mortgages, or for half its present value. And that they will do as soon as they can induce our government to try another experiment in what they call free trade. The policy of these persons, who are all clamoring for free trade, would deprive millions of men of their means of living by mechanical employments, and drive them into competition with the farming and agri-

mechanics competitors of the farmers, instead of consuming, as they now do, ten times as much of the agricultural product of the country as is now sold in Europe."-(Con. Record, 42d Congress, 2d session, page 389.)

While we write, the Lord Chief Justice of England is homeward bound, after an extended visit in this country, a constant ovation, from his landing to his departure. What is his testimony to the condition of the "general welfare of the United States." The following extract from his speech, at the banquet given him at New York, is a cutting rebuke to his country men in New York, and American agents of the English Cobden Club, who are striving to destroy the manufactures and other industries, and to degrade the labor of this country to a level with that of Great Britain. His Lordship said, Oct. 11th, 1883.

"It is not your collosal fortunes that have interested me, I can see them at. home. What I do admire, what I long to see and never shall see in my own dear England, is what may be called your upper and lower middle classes. I have seen among them men who would do credit to any capital in the world. I have seen tens of thousands of houses occupied by the owners of them." I am told that in general your farmers own their farms, your cultivated gentlemen own the'r houses, and your artisans own their cottages. What a state of satisfaction and content this produces in time of peace! What an irresistible force in time of war !"

Do our free trade friends envy the condition of things, as portrayed by the distinguished Chief Justice of England? If not, why do they seek to change them?

THE SUPPLY AND PRICE OF WHEAT.

This subject has been one of all absorbing interest to the trade, and there have been printed columns of opinion relating thereto. The following communication from "Observer," a member of the New York Produce Exchange to Bradstreet's will, we believe, be perused with interest by our readers. He says:

"All authorities agree that the wheat crop is short compared with that of last year, the deficiency being variously estimated at from 80,000,000 to 120,000,000 bushels. Yet, week after week, for months past, we have seen the price of wheat decline; one, and perhaps the principal reason for the decline in prices laborers, mechanics, and all classes, so pros-perous, as in our own country. Then, why change a system that has been so prolific of to an increase of the supply or to a decrease in the demand for wheat that the visible sup-

pry mas been increased.	
Visible supply of wheat September 1 Visible supply of wheat October 13	Bushels, 12,045,595 14,488,914
Increase of valble supply from September 1 to October 13	2,448,819 21,286,888
Total of increase of visible supply and export from September 1 to October 18	28,679,702
Visible supply of wheat September 1 Visible supply of wheat October 18	21,404,798 29,869,699
Increase of visible supply from September 1 to October 18 Export from September 1 to October 18	8,464,901 8,145,616
Total of increase of visible supply and export from September 1 to October 13.,	16,610,517
Total of increase of visible supply and export from September 1 to October 13	28,679,702
Total of increase of visible supply and export from September 1 to October 18	16,610,517
Decrease in export and increase of visible	

clear that, as the combined amount of the increase of the visible supply and the export from September 1 to October 13 this year is ,069,185 bushels of wheat less than during the same period last year, that if the supplies from our farmers of wheat had been as great this year from September 1 to October 13 as they were last season, that instead of the vis-ible supply increasing 8,464,901 bushels from September 1 to October 13 this year it would have increased 7,069,185 bushels so that, with the same supplies as last year, the visible supply would have been on October 13, 36,938,884 bushels, instead of what, it is, 29,869,699 bushels.

People should consider that it is not the visible supply that will determine prices until we reach harvest, but it is the quantity of the invisible supply in the hands of our farmers. It is a mistaken idea that a large stock of in foreign trade, whose fortunes depend upon our filling the country with foreign goods. There are other thousands, who are holders of mortgages, who hope to buy in the property and the largest ever reached, being over 28,000,000 bushels. Did that stock prevent Indian corn advancing in the west, from 41c, to 80c, per bushel within one year, and selling in New York at the end of the harvest year for corn at 100c, per bushel? and did it was for corn, at 100c. per bushel? and did it prevent the visible supply dwindling from 28,684,661 bushels of Indian corn on October 15, 1881, to 4,481,938 bushels on October 14, 1482? It will, perhaps, be well for parties who think that wheat should be lower in price to keep cultural interests of the country, making the our farmers from necessity must lesson their

supplies of wheat, and that consequently our immense visible supply of wheat will diminish especially as European stocks of wheat must lessen, for our light exports of wheat from the Atlantic coast soon tell. They have been since September 1, and for eight weeks before that period, 60 per cent. less than last year. Believing that the wants of Europe are greater than in any year except 1879. I have no hear.

Agreeing also with Mr. Walker's estimate immense visible supply of wheat will diminish especially as European stocks of wheat must lessen, for our light exports of wheat from the Atlantic coast soon tell. They have been than in any year except 1879, I have no hesitation in believing that our visible supply of wheat before the crop of 1884 is reached will

shrink to a very moderate quantity.

In order to define more clealy the position of our supply and demand for wheat since September 1 for two years I give the follow-

1882.	Bushels.
September 1, stock of wheat in sight at lake and seabord ports and transit	12,045,595
October 13. receipts of wheat at eight western points since September 1.	17,554,247
Total	29,599,842
October 13, exports from Atlantic sea- board since September 1, 1882	35,725,301
Deficiency	. 6,125,459

This deficiency of supply was furnished by that portion of the states south and east of the eight western lake and river ports, in addition to what they used for home con-

1883. September 1, stock of wheat in sight	
October 13, receipts of wheat at eight wes points since September 1	16,929,281
Total	38,331,079

815,764

This small exesss went to make up what the states east of eight western points were short of in their supply of wheat for their own wants. I shall say more about this further on. According to the above statements the receipts for two years from September 1 to October 13 would stand thus:

1882.	Wheat, bushels.
Receipts at eight western points from Sept. 1 to Oct. 13, 1882	
Receipts from the states east of the eight west- ern points from Sept. 1 to Oct. 18, 1882	6,125,459
Total	28,679,706
1883.	
Receipts at eight western points from Sept, 1	16,929,281

Deficiency of receipts as compared with 1882, 6,750,425 No supply from east of the eight western points over their own consumption.

Here I should state the reason why there are no receipts this year from states east of the eight western points except for their own consumption. The crop of wheat of 1882 in the states of New York, Onio and Indiana was fully 100,000,000 of bushels; deducting 60,000,000 for seed and their home consumption, they had 40,000 bushels surplus for sale. The crop of wheat in these three states this year is only 63,000,000 bushels, and they will require the whole of the crop of this year to

seed their land and feed their people.

The outlook for the export of wheat, in my

opinion, is from the crop of 1882: wheat flour bushels. The export from the Atlantic coast was about .118,000,000 The export from the Pacific coast was about..... 30,000,000 Total export.....

As the export of wheat and wheat flour from the Atlantic coast from this crop from September 1 to October 13, 1883, is only about 13,000,000 bushels, against 27,000,000 bushels for same period of last year, being only 48 per cent. of the quantity shipped last season at same period, I feel quite certain that I shall be within the mark if I calculate that the shipment form the if I calculate that the shipment from the Atlantic coast from this year's crop will not be over 60 per cent. of what it was last year. I therefore estimate our export as follows:

bushels. 70,000,000 30,000,000

Estimated total export from crop of 1888...100,000,000 I feel certain that the above estimated exports from the Pacific coast, although no more than that of last season, is liberal, for although the crop there may be larger than 10. last year, which I doubt, the reserves were lower at the end of the crop year 1882 than for five years previous.

I do not believe the reserves of wheat left over from the crop of 1882 are over 65,000,000 bushels, and as there must be a normal small reserve carried over every year, I do not think that over 35,000,000 of bushels can be taken from the reserve of the last crop to help this year's shipments; therefore, if we consider the crop of wheat is short this year, as compared with that of 1882, by 100,000,000 bushels, from which if we deduct 85,000,000 bustiels from last season's reserves it would make the exports short from this crop about 65,000,000 bushels, I am therefore keeping on the safe side when I estimate the export from the crop of 1883 as only 48,000,000 bushels short of the exports from the crop of 1882.

It may be objected that giving the receipts

from September 1 is for too short a period, especially as new wheat begins to be delivered in the southwest freely from about July 1. Compared with last year the receipts are as

Deficiency this Iseasou ...

I have examined with care the estimate of

Agreeing also with Mr. Walker's estimate of the deficiency of Europe's wheat crop, I have come to the conclusion that No: 2 red wheat at \$1.07\; per bushel for October delivery in New York is too low, and that long before the supplies from the crop of 1884 are reached much higher prices will be real zed.

OBSERVER. New York Produce Exchange, Oct. 24.

[From The Miller, London.]

TECHNOLOGICAL MILLING EXAMINATION.

The following are the question papers submitted to the candidates for the City and Guilds of London Institute Milling Technological Examination, May 31, 1883. As the rules of the Institute prevented us from obtaining the replies supplied by the candidates, a milling engineer has contributed answers with regard both to the ordinary and honors grades, which may serve as typical suggestions to future students.

INSTRUCTIONS TO CANDIDATES.

The candidate must confine himself to one grade only, the Ordinary or Honors, and must state at the top of his paper of answers which grade he has selected. He must not answer questions in more than one grade.

The number of the question must be placed before the answer in the worked paper.

Three hours allowed for this paper.

ORDINARY, OR PASS GRADE .- QUESTIONS.

1. Name the commercial finished products derived from wheat by the process of milling, and state the approximate percentage of each obtained from cleaned wheat.

2. Place in separate lists under the heads of (a) "strong" or "weak;" (b) "harsh" or "mellow;" (c) "coloury" or "dark;" the following wheats, each description is to be assorted under each head (a) (b) and (c). Australian, Californian, Canadian White, Chilian, Bombay Red, Calcutta White, Persian, Danzig, Rostock, Azima, Saxonska, Polish, Odessa, Taganrog, Ghirka, Winter American, No. 2 Minnesota, American Red Winter, No. 2 Chicago Spring, Red English, Rivetts, Nursery.

3. Describe the most simple process of cleaning needed, respectively, for Saxonska, English, and Egyptian wheats.

4. What sort of burr would you select for a millstone intended to grind soft wheat, such as English, so as to finish it in one operation. Give a sketch of the dress you would put in, showing about one-fourth of the surface of the stone; state in figures the draft, width, and depth of the furrows; and about the proportion of furrow to face.

5. Answer the same question as the foregoing, the wheat being dry and hard, and the object to make the greatest possible amount of middlings when the bran is to be cleaned by a subsequent process.

6. What is the object of heating wheat im-

mediately before grinding it? 7. What has prevented all attempts to decorticate wheat from being successful?

8. In working a roller mill what are the points which require constant inspection and frequent adjustment?

9. Seminola has been ground by rollers under heavy pressure working at a very small difference of speed; describe the state of the meal and how you would proceed to obtain

10. What is the number of the silk cloth through which the finest middlings capable of economical purification can be passed?

11. State the smallest incline of spouts at which each of the following products will run: wheat meal; coarse seminola; flour; soft middlings; bran.

12. In a low grinding mill there are, a reel 18 feet long by 30 inches diameter for scalping out all branny material from the meal as it comes from the stones, and two reels 24 feet long by 30 inches in diameter for dressing flour and separating middlings from it (all middlings fit for purification are intended to be purified), and a bran duster 5 feet long by 18 inches in diameter. You are required to cover these machines with proper silk and wire; give the details of the coverings you would use, and a note of the order you would send to the mill furnisher for the requisite silk and wire.

ANSWERS

1. The commercial finished products derived from wheat by milling, are flours and offals. Generally, several qualities of flour are made in a mill, and they are sold under various names, according to quality and brand, such this year's wheat crop given by the able and as patent flour, bakers' flour, household flour, nomical presented statistician of the New York Pro-whites, firsts, seconds, &c. The offals also are No. 7 silk. as patent flour, bakers' flour, household flour,

sold under various names, according to quality, such as bran, coarse and fine sharps, feed, &c. The percentage of these products differs according to the milling system by means of which they have been manufactured. A low grinding mill, in which the middlings are purified and then reduced on chilled iron or porcelain rolls, would produce something like the following percentages:

S. C.				
First run flour	bou	t 50	per cent.) or 70° 8
First quality middlings flour	54	12	- C 11	> straight
Second quality do.	41	8	44	ofgrade
Low grade flour	86	5	16	
Bran	44	18	44	
Sharps on Polland	4.0	97	44	

The percentages of a gradual reduction mill would be about as follows:— Low grade..... Bran Sharps or Pollard.....

2. List of characteristics of different Wheats.

Bombay / red and clouts I white I white I Azims Saxon ska Rolish Odessa Tagan-rog Ghirks	Strong.
Arstra- lian No. 2 Minne- sota No. 2 Chicago spring	A.
Califor- nian Chalian White Chilian Rostock Winter Can Ameri- can red winter Red Eng. Jish Rivetts Nursery	Weak
Calcutta white Persian A zima Odessa Odessa Bombay red Tagan rog Ghirka No. 2 Chicago spring	Hersh.
Austra- lian Califor nian Chilian Saxon- ska Polish No. 2 Minne- sota	ţu.
Danzig Rostock C'nadn white Winter Ameri- can Ameri- can red winter Red Figl Rivetts	Mellow.
Austra- lian Califor- nian Canadis white Chilian Calcutts white Panzig Polish	oloury.
Bombay, red Persian Rostock Azima Sxonaka Odessa Taganrog Ghirka Wintr. American No. 2 Mianesota American red winter No. 2 Cleago apring Red English Rivetts Nursery	C. Dark

3. For cleaning Saxonska the following cleaning machinery might be used:-(1) dusting reel, (2) aspirator of separator, (3) cockle cylinders, (4) smutter, (5) brush. The same machinery would suit for English wheats. Egyptian wheats are very dirty, and should be washed after passing through the above machines, then allowed to stand in sacks for a couple of days and re-passed through the brush, or smutter and brush, before sending it to the wheat bin for grinding.

4. For a millstone intended to grind soft wheat, so as to finish in one operation, a fine, open French burr would be best. I would adopt a 22 quarter dress with straight furrows for a 4-ft. stone, and would put two furrows in each quarter. The furrows would have 4 in. draught, 1½ in. width, and a depth of 3-16 in. Both the runner and bedstone would become 11-16 in., beginning 6 in. from the skirt. The proportion of furrow to face would be equal.

5. For hard and dry wheats a close French burr would be best. I would put in a similar dress, but would reduce the face by widening the furrows to 2 in., so as to obtain a proportion of one-third face to two-thirds furrow, and I would bosom to a depth of 3-16 in. on both stones, beginning 4 in. from skirt.

6. The object of heating wheat immediately before grinding is to cause the water which is contained in the interior of the wheat berry to evaporate, so that it will be absorbed by the bran, which will thereby be toughened and be better able to resist the abrading tendency of millstones or other reduction machines.

7. The attempts to decorticate wheat have not proved successful, because the wheat berry has a longitudinal fold, the crease, into Oct. 1. Loss \$14,000, insurance \$2,600. which the husk enters so deeply into the interior of the grain that it cannot be removed without splitting the berry and exposing its interior. Besides, the interior layers of the husk are so firmly attached to the interior of the grain that it is impossible to rub them off without injuring the flour kernel.

8. In working a roller mill the points which require constant inspection and frequent adjustment are the oiling of the bearings, the exact parallel position of the rollers, the uniformity of the feed, the equality of pressure on both bearings of each roller, and the proper action of the scrapers.

9. Semolina, ground by heavy pressure on rollers having small differential speed, will cake and form a flaky meal, in order to obtain the flour from the same it should be first sent through a detacher, which will disintegrate the flakes to an impalpable powder, which may then be dressed over a reel or centrifugal clothed with silk of the requisite fine-

10. The finest middlings, capable of economical purification, can be passed through a

11. The smallest incline of spouts for runnig the following materials is:-

 Wheatmeal
 40

 Coarse Semolina
 30

 Flour
 50

 Soft Middlings
 45

 Bran
 40

Where possible, a greater incline should be 12. The clothing of the different reels in a

low grinding mill should be as follows: (a) Scalping reel 18 ft. long by 30 in. dia., to be clothed with No. 24 iron wire all over.

The wire is to be supplied in strips 18 ft. long, 15 in. wide, and these strips are tacked on the head tail end of the reel, and on the six wooden ribs of the scalper.

(b) Two silk reels, 24 ft. long by 30 in. dia., to be clothed with seven sheets of silk, three sheets of No. 11, two sheets of No. 12, and two sheets of No. 4 on each reel. The seven sheets of silks are to be stitched together in one piece 24 ft. long and 7 ft. 10 in. wide; an eyelet band is to be stitched on all round. In clothing the reels an eyelet band is tacked on the head and tail end of the reel, and the silk is then laced all round, so that the longitudinal seam will lie on the top of a rib. When finished the eyelet bands are pasted over with pieces of old silk of similar number.

(c) One bran duster 5 ft. long by 18 in. dia., to be clothed with 3 ft. 9 in. of No. 56 wire and 15 in. of No. 16 wire. The wire to be fastened on the iron ribs of the bran duster by means of binding wire, or, if the ribs are of wood, to be tacked on. The wire to be made up in two halves, each consisting of three sheets of No. 56 wire and one sheet of No. 16 wire, each strip to be 15 in. wide and 28 in. long.

ORDER.

LONDON, May 31, 1883.

DEAR SIRS-Please send me as soon as possible the following wire and silk covers:

(a) One wire cover for scalping reel, consisting of six strips of No. 24 wire, each strip to be 18 ft. long and 15 in. wide, head and tail end of wire strips to be provided with tape.

(b) Two silk covers for silk reels, consisting of seven sheets 40 in. wide each. The seven sheets are to be stitched together in one piece and eyeletted all round. Length of cover 24 ft., width 7 ft. 10 in. Also send 32 ft. of eyelet tape for head and tail ends of reels.

(c) One wire cover for bran duster in two halves, each half to be made up of three strips of No. 56 wire 28 in. long and 15 in. wide each, and one strip of No. 16 wire same length and width. Each half to be stitched together with wire in one piece five ft. long and 28 in. wide.

J. C. Yours truly,

LATE ITEMS.

The Greensville, (Ala.,) oil and grist mill, burned Oct. 21. Wilson & Co's. mill, at Rosemond, Ill., burned recently Burned, Jacob Williams mill at Leaford, Del., Oct. 10.

Loss \$15,600.

Warren's mill at Waukegan, Ill., burned Oct. 13th. Loss \$15,000.

John C. Ralsten's mill at Steubenville, O., burned Oct. Loss \$5,000. Burned Oct. 15th, Lee & Brown's mill at Saranac

Mich. Loss \$10,000. W. E. Grubb's mill at Shelby Ky., burned Oct. 1. Loss

\$10,000, no insurance. The Teardale mills at Batavia, Ohio, burned Sept. 27th.

Loss \$10,000, insurance \$6,000. Miner's mills at Tompkina, Mich., burned Sept. 28th.

Loss \$5,000, insurance \$2,500, Burned Oct. 4th, Malone & Bozeman's mill at Carmi, III. Loss \$6,000, insurance \$3,300.

Burned Oct. 4, Wm. Tanquary's mill at Brucetown, W. Va. Loss \$10,000, insurance \$3,000.

Burned out, Archibald, Campbell & Co., Millers at Chatam, Ont., partially insured. Yæger & Anderson's mill at Portsmouth, O., burned

Brown & Dedrick's oatmeal mill at Genesee, Ill., burned Oct. 1. Loss \$20,000, insurance \$5,000.

Benton, Ayres & Co.'s mill at Conneaut, O., burned Sept. 27. Loss \$25,000, insurance \$12,000.

Burned Sept. 28, the Standard mills at Walla Walla, W. T., owned by McCally & Sons. Loss \$40,000, insurance \$23,000.

C. W. Hall has bought out his partner W. W. Richmond and will hereafter run the mill at Berrien Springs, Mich., alone as he did ten years ago. He has a first-clast custom mill run by water power.

Metzzer & Fisher have just started up their new steam mill at Stella, Neb., Landes & Beals of Arkausas City, Kas., did the millwright work and the Richmoud M'fg Co., of Richmond, Ind., furnished the machinery.

The old mill in Menard County, Illinois, referred to in all the biographies of President Lincoln, was burned last week. It was built in 1829, by "slicky" Greene, who took Lincoln into partnership. It was at the store kept in the mill that Lincoln met the early settlers of the State.

The John T. Noye M'fg Co., of Buffalo, N. Y., refuse to furnish reports of the sales that they make, for publication in these columns. They have taken this step in deference to the wishes of a great many of their patrons, believing that the practice, as it has heretofore existed does not convey the impression that it should.

FOR SALE.-A good steam mill with capacity of 50 barrels per day. Profits worth \$20.00 per day. Address for full particulars,

SMITH & JAMES, Columbia, Bourne Co., Mo.

UNITED STATES MILLER.

E. HARRISON CAWKER, EDITOR.

PUBLISHED MONTHLY.

OFFICE, Nos. 116 & 118 GRAND AVENUE, MILWAUKEE, WIS. SUBSCRIPTION PRICE.—PER YEAR, IN ADVANCE.

To American subscribers, postage prepaid. To Canadian subscribers, postage prepaid. Foreign Subscriptions.... All Drafts and Post-Office Money Orders must be made payable to E. Harrison Cawker.

Bills for advertising will be sent monthly, unless other-wise agreed upon,

For estimates for advertising, address the United States MILLER.

[Entered at the Post Office at Milwaukee, Wis., assecond class matter.]

MILWAUKEE, NOVEMBER, 1893

We respectfully request our readers when they write to persons or firms advertising in this paper, to mention that their advertisement was seen in the United States Miller. You will thereby oblige not only this paper, but the

1884.

FLOUR MILL DIRECTORY.

We are now hard at work preparing CAW-KER'S AMERICAN FLOUR MILL AND MILL FUR-NISHERS' DIRECTORY of the United States and Canada for publication and expect to have it ready for delivery on or about January 1, 1884. Flour mill owners can very materially assist us and make this work of greater value to the trade by writing to us and giving the correct name and style of their firm, with post-office address, and also the capacity of their mill in barrels per day of 24 hours, and also the kind of power used-whether water or steam. We shall spare no pains to make this directory better and more complete than any former edition. Our 1882 edition met with great praise from all who used it, and we think our 1884 edition will give still greater satisfaction. It is to the interest of every mill-owner to be correctly represented in this work. It will cost you nothing but a few moments writing and the price of a stamp which now is only two cents. The directory is used by mill-furnishers, commission merchants, flour exporters and importers, dealers in machinery and supplies, and by millers, shipping agents, insurance agents, etc., as a work of reference. It has been found to be indispensable to the transaction of business in the trade.

Address all communications to

E. HARRISON CAWKER,

Nos. 116 & 118 Grand Ave. Milwaukee, Wis.

FLOUR MILL OWNERS-Please send us your address, with capacity of your mill in barrels per day of 24 hours, and also state whether you use steam or water-power, or both.

IMMIGRANTS to the number of 45,719 arrived in the United States during the month of Sep-

J. W. MAXWELL, of Millersburgh, O., a wellknown miller has been arrested on a charge showing is certainly encouraging to millers. of making counterfeit money.

THE recent rains have proved beneficial to the Minneapolis water power, and the millers have about ceased to complain of a lack of

THE millstone is still a subject of deep interest and study by many millers and inventors. Two patents have been issued lately for "improved millstone dress."

THE Minneapolis millers and the railway magnates have settled their differences in a manner which is supposed to be "tolerably satisfactory" to all concerned.

JOHN A. NICOLIN, E-q., the able representative of Wilford & Northway, of Minneapolis, Minn., called on us during the past month. Mr. Nicolin reports business to be good.

MESSRS. D. LATHROP & Co., of Boston, Mass., are doing a most excellent work in publishing a beautifully printed and illustrated young people's magazine named "Wide Awake." subscription price is only \$2.50 per year and one of great importance.

anyone desiring to make a young friend happy would do well to subscribe for it for him.

ROBINSON & MAY of Boston, Mass., purchased at auction the two flouring mills "Gibson A" and "B" in Indianapolis, Ind., for \$65,000, and are now running them.

THE total grain storage capacity of elevators in Manitoba on the line of the Canadian Pacific Railroad, is 1,599,000 bushels, of which the Ogilvie Milling Co. control 437,000.

FLOUR MILL OWNERS-Please send us your address, wit's capacity of your mill in barrels per day of 2 hours, and also state whether you use steam or water-power, or both.

An unusually large number of failures have occurred during the past three months in the flour and grain trade. Speculation seems to have been the primary cause in the majority

A large portion of the Christiana Machine Works at Christiana, Pa., was destroyed by fire Oct. 1st. The works will be immediately rebuilt, and will be ready for business in a very short time.

WILLIAM TRUDGEON, the able western representative of the Richmond Manufacturing Co. of Buffalo, N. Y., paid us a visit Oct. 6th. Mr. Trudgeon was successful in placing several orders with the Milwaukee millers.

ELECTRICITY, thus far has only been used in flouring mills for lighting purposes, for purifying middlings and for registering the number of barrels or sacks of flour packed. Can it not be used for other milling purposes?

THE cry of "frost-bitten wheat" raised quite a commotion during the past month, but, upon investigation, it is apparent that the loss to the crops of Dakota and Minnesota, from this cause, will not be of very great importance.

A considerable amount of spring wheat is damaged this year by the presence of smut. Spring wheat heretofore has been comparatively free from smut. The result is that a great deal of wheat that would otherwise be of high grade will be graded low.

MESSRS. Hoerde & Co., Vienna, Austria, have placed a roller mill with steel corrugated rolls upon the market, and claim that it is superior to chilled iron. It is claimed that they are much more durable than chilled iron, retaining their sharpness longer.

DIO LEWIS'S MONTHLY, is the name of a new magazine published by Frank Seaman, at 68 Bible House, New York City. Price, \$2.50 per year. It is edited by Dr. Dio Lewis, and everybody has heard of him. His s'yle is plain and pointed, and anyone who reads his magazine and follows its teachings will find himself better in body and mind.

During the first nine months of the year we exported to foreign countries 6,409,351 barrels of wheat flour, and 50,912,961 bushels of wheat. Our total exports of breadstuffs during this period were of the value of \$130,-430,436. Nearly 57 per cent. of our wheat export was in the shape of wheat flour. This

It has been frequently said that the handsome appearance of a food package was often the cause of its ready sale. We believe this to be true in many instances. A miller has would help sell a fair article of flour if the barrels were tastily painted-if a sufficiently higher price could not be obtained to pay the cost and trouble, etc. We really don't know, but think that it is quite possible that it might "take" with a considerable portion of the consuming public, and that the idea is probably a good one.

be on the market. The inventor says it is a "regular steel-millstone," and will do more and better work with less power than any grain-reducing machinery yet brought before the milling trade. We have seen some samples of work done by disk-mills and they are un-This magazine is now in its seventeenth vol- ganized to push the manufacture and introume and is yearly growing in favor. The duction of this invention, which seems to be

FLOUR MILL OWNERS-Please send us your address, with capacity of your mill in barrels per day of 24 hours, and also state whether you use steam or water-power, or both.

THE Baltimore Journal of Commerce says that the receiving and storage capacity of the grain elevators at Baltimore is as follows:

Elevators. Proprietors.		Storage Capacity.	
A	B. & O. R. R. Co. B & O. R. R. Co. B. & O. R. R. Co. B. & O. R. R. Co. Coperated by Baltimore Elevator Co.	500 000 1,500,000 1,800,000 250,000 569,000 100,000 750,000	
Total 7	******** *********** ******* ****	5.400.000	

THE CASE MANUFACTURING Co., in their advertisement with us in this issue, inform the milling trade that they have been taking some first premiums, at both the St. Louis and Cincinnati Expositions, which is doubtless a source of gratification to them and warning that others must look to their laurels. In a recent note the Case Co. inform us that their order book is well filled with orders for their rolls and purifiers, and add that their trade does not show any signs of dropping off, being continually in receipt of new orders from all sections of the country.

WE have received from MESSRS. POOLE & Hunt of Baltimore, Md., a very handsome catalogue, describing with numerous beautiful and original illustrations, the Poole & Hunt Leffel Turbine Water-wheel. Messrs. Poole & Hunt say:

"In getting up this pamphlet, we decided to make it as brief as possible, that readers may not be compelled to wade through a mass of (to them) uninteresting matter, in order to obtain the information they desire to possess. We have omitted all recommendations or certificates. A book might be filled with them alone, of recent date, but our Leffel Wheel is now so well known, that printed certificates are not necesssary to advertise its merits. We submit copious illustrations, showing various applications of our wheel to a variety of purposes, all of which are in successful operation, and we feel sure these illustrations will plainly tell their own story, and not suffer when considered as examples of turbine engineering. The arrangement of turbines on horrizontal shafts is not as generally understood as it should be. We have applied quite a number, with very satisfactory results, but more care and engineering experience should be used than is necessary with wheels on vertical shafts. When properly applied, horrizontal wheels give equally good results, and by dispensing with the usual bevel gears, the power is applied by belting, as desired."

A SENSIBLE RULING

The Postoffice Department has made the following decision, which meets the cordial approval of publishers of all reputable jour-

The liability of a party to pay for a newspaper must be determined by the rules applicable to other contracts. When a publisher, without request from a party, either expressed or implied, sends a paper, the mere fact that the party addressed takes the paper from the post-office does not of itself create a liability to pay for it. It takes two to make a contract, and one party without the consent of the other cannot make him his debtor

ASSOCIATION.

The sixth annual Convention of the Pennsylvania Millers' State Association was called to order October 9, at Harrisburgh, in Y. M. C. A. hall by President Isenberg, who, in a written to us inquiring if we did not think it short speech, congratulated those present as an earnest of their interest in the importance of their pursuit. Within the past twenty years the business of milling has developed proportions which now command as much attention from the great carrying corporations and in centres of commerce as any followed by man, and therefore it is very appropriate for those engaged in such a pursuit, to meet in convention to 'exchange thoughts A recently-invented horizontal disk mill, and submit and discuss propositions for its the work of a Milwaukee inventor, will soon management. In these brief words President Isenberg opened the regular proceedings of the convention. The present assemblage contains about seventy-five representatives from every part of the State and among the men of the very highest repute for skill and integrity in the pursuit in which they are engaged. deniably excellent. Two mills in Kansas City No more dignified deliberative body, with are now being furnished with them. The disks higher objects in view, ever assembled in this are made at Ansonia. A company is being or- city. The afternoon session was devoted entirely to the hearing of the reports of the four minutes and 80 seconds from the start-Secretary and Treasurer, which were adopted, ing of the reaper a pan of biscuits was passed the latter showing the receipts and expendi-out to the spectators."

tures for the past year being referred to the Auditing Committee.

The report of the committees being in order and a number of the members not having arrived yet, those present not being prepared to report, Mr. Miller moved that the reports of the committees be passed for the present and made the order for to-morrow morning's ession, which was unanimously agreed to.

Mr. Garber moved that the expenses of the Executive Committee, when on special business of the association, be paid by the Association. Agreed to.

Mr. Small raised the question of responsibility of storing grain and the proper manner of receipting for the same, which was discussed by a number of the members, when, on motion of Mr. Wallower, a committee of six, consisting of Messrs. Small, Hoffer, Heebner, Walter, Eby and Hoffa, was appointed to investigate the subjuct and report at the next annual Convention.

Election of officers being next in order, and asentiment prevailing to retain the old officers Mr. Wallower moved that the present officers B. F. Isenberg, President; Jacob Walter, First Vice President; Cyrus Hoffa, Second Vice President; and Landis Levan, Secretary, be re-elected and that Mr. Small be authorized to cast the ballot of the association. Unanimously agreed to, and the ballot ordered to be cast and recorded accordingly. The Convention then solved into a semi-experience meeting and the subject of burrs and rollers were discussed pro and con, some favoring one and some the other.

Mr. Garber thought the machine men will have the money and the millers the experience. Mr. McFealy said he did not want the association to sit down too hard on machinery men, he was here to defend himself, and advocated rolls for reducing wheat and burrs for middlings. His opinion was generally concurred in by all those using the roller system, out Mr. Garber thought the rolls would all be thrown out five years hence because people will die of dyspepsia. Adjourned to meet at 7:45 P. M.

EVENING SESSION.

Meeting called to order at 8 o'clock. The president then introduced Mr. John D. Nolan, of Brooklyn, N. Y, who delivered a lecture on What's New in Milling," which was well received. After the lecture some discussion was indulged in, after which the convention adjourned to meet at 9 o'clock next morning.

MORNING SESSION.

The convention reassembled at 9 o'clock. Mr. Ely, from the Committee on Insurance, reported that sufficient attention had been given the subject to enable them to make report as the insurance on mills was generally effected by the owners upon best terms afforded. He recommended the establishmeat of a mutual insurance company entirely in the grain and milling interest, which was well received by the association, a number of members expressing their approbation of the plan. A number of reports from the several committees were submitted, read, discussed and adopted.

A motion was adopted that the next annual convention of the association be held in Philadelphia. After some further mutual interchange of opinions and transacting some unimportant business the convention adjourned.

A number of samples of very fine wheat were on exhibition, the best of which was a THE PENNSYLVANIA MILLER'S sample of Tappahannock by W. W. Stryker, of Petersburg, Huntington County; a sample of Foltz by John P. Wakefield, of the same place; also one sample of same by Messrs. Small, York?

QUICK TIME FROM THE FIELD TO THE OVEN.

The Democrat of Carrollton, Mo., says: "On Thursday 'Jim' Lawton invited 50 neighbors to see him beat his own time of two years ago, when his wife baked bread in eight and a quarter minutes after the wheat was standing in the field. At six minutes and ten seconds after four the Buckeye reaper stood at the corner of the growing wheat. Men were stationed every few feet along the line of grain ready to seize an armful as it fell from the reaper, and to rush with it to the thresher close by. The mill was just sixteen rods distant. At the drop of the hat the mules sprang to work, and in a minute and a half about a peck of threshed wheat was in the sack and on a horse that began a race for the mill. A . minute and seventeen seconds later the flour was delivered to Mrs. Lawton and in 8 minutes and 55 seconds from the starting of the reaper the first griddle cake was eaten. In

DESCRIPTION OF THE WATSON PLAN OF GRAIN ELEVATOR.

By WM. WATSON, Architect and Builder, 177 LaSalle Street, Chicago, Ill.

From foundation to top of roof, the Watson plan of Grain Elevator differs materially from all other plans, and can be adapted to any ground on which any other plan can be built.

After excavating the ground to the proper depth for the sinks, the entire surface is covered with eighteen inches, or more, of concrete. On this heavy footing courses are laid. about four feet of the top of the ground. The main walls of the building, on heavy footing Thus all machinery may be kept in line. courses, are then put in, as shown by the drawing, and brought to the proper level to weighman, who can start or stop them with ing the same area on the ground; and having the The best results with this or any other method

receive the foundation timbers for cribwork. When the nature of the ground requires it, piling is put in, which, being sawed off level, is covered with heavy planking to form a solid foundation for concrete and footing courses.

This construction of foundation lessens the liability of the building to settle unevenly, as when resting on piers. These walls average eleven feet from centers, each way of the building. The foundation timbers restfull length along these walls.

Upon these the cribwork commences, and is

are projected to support the timbers over the passage-ways. Hopper bottoms are put in the bins, each side of the sinks, as the work progresses.

When the timbers are placed over the passage-ways, bottoms are put in the bins which are supported by these. The walls of the bins are carried to the eaves of main roof, where the two outer walls on each side stop. The cross walls are continued, stepping off the slope of the roof. The middle walls are carried up a few feet higher, when the sills of the cupola are put in, running lengthwise the full length of the building.

The first story of the cupola is then raised. The walls of the cribwork are continued four to six feet above these sills. Bottoms made of the same material as the cribwork, placed on edge, run from the highest point of cribwork, and middle of building to top of inner wall of first row of bins. Openings are left in these bottoms, and cross walls so placed that the mouth of each and every bin is brought up to the mouth of the revolving spout; thus dispensing with every foot of spouting in the top of Elevator. The balance of the cupola is then finished. The tops of the bins have a tight flooring over them. Hopper scales are placed in a row through the middle of the building on the second floor, one on each side of Elevator Leg.

Under each scale hopper a heavy wroughtiron revolving spout is placed, reaching to round holes cut in the floor over the mouths of the bins, through which the grain passes directly into the bins. This revolving spout is so arranged that the weighman can raise it out of and set it into any of these holes without moving from his place on the upper floor, or spilling a single grain. A framework of heavy timber is placed in each sink, forming a support for the boxing that surrounds the Elevator Belt. This boxing extends to under side of timbers over passage-way, commences again on first floor of cupola, and extends to the top of building. This boxing is formed by inclosing the up and down belt of the Elevator Leg in the same space, instead of having a box for the up and one for the down belt, as usual. This prevents all possibility of the belt dragging on the front or back of the Leg.

In all elevators, two points must be provided for, viz: The settling of the cribwork, and the settling of the shafting and other machinery.

Having no trunking, no line shafting, but having an adjustable foundation to the engine and head of elevator, no other provision is necessary.

This is a point of great saving in cost of building. A small bin is provided between wise of the building. The floors of these pasthe upper and lower sections of the box in sage ways are on a level with the car floor, with through which the Elevator Belt passes. No aspace between sufficient for workmen to pass. bracing at all in these Legs.

Instead of one large Engine with main placed at head of each Leg, and direct communication made with head pulley.

and the sink walls are carried up to within foundation. The posts for the bridge-trees of the Elevator rest on the same foundation.

The Engines are under control of the

This open floorway, with no line of posts, full length of the house, greatly facilitates the driving belt and long line shafting in top of shifting of the cars and the opening of the building, with necessary gearing to start or doors. The cross passage ways are floored stop one or more Legs, one small Engine is on same level; these floors afford ample room for operating the house. Iron rods attached to the slide, covering the mouth of These Engines are set upon an adjustable the bins, pass up through the floor near the walls. A ratchet holds the gate or slide. This house has been planned especially for the rapid and economical handling of grain.

An Elevator built on the Watson plan, occupy

The spaces for cars or wagons run length-|yield. The next improvement was to use a short scalping reel from four to five feet long clothed with No. 1 cloth, except eighteen inches No. 10 wire at the tail. The flour and middlings from the No. 1 cloth were sent to the reel as above, the bran came through the No. 10 wire and the shucks passed the tail and could be spouted separately or with the bran as desired, but good farmers soon learned that there was no nutriment in the shuck, and that it only acted as an irritant in the stomachs of the cattle. The reel for flouring was usually ten feet long, clothed according to the fancy of the miller with cloth ranging from No. 7 to No. 10, excepting about eightteen inches No. 4 at the tail for middlings.


> were obtained by putting the cloth entirely on the inside of the ribs, or from the outside of one rib to the inside of the next. They do not require anything to keep the cloth open, for a sharp, granular buckwheat flour bolts very freely. By this system a good flour can be made from well scoured but unshucked buckwheat, but it will be more or less specky and off color.

Many plans have been tried to get rid of these specks, the most noticeable was to grind high enough to just granulate the interior very little,

and pass the product to a reel graded from No. 5 to No. 00, subjecting each grade excepting No. 5 separately to a purifying by suction or blast, after which they are spouted together to the burrs for grinding, and bolted as before, but in this case it is better to grind somewhat closer so as to leave no good particles adhering to the yellow skin or bran. Some have tried purifying the fine middlings on purifyers with good results, but there is not the same advantage gained as there is in wheat middlings, as the specks are of about the same specific gravity as the middlings themselves.

The quality of burr best suited for buckwheat is a fine gritted, moderately but finely open old stock stone; the next best is a new stock, not too close. Most of the old stock ar · too sharp and cut the yellow skin or bran too much (and this is very tender and has a tendency to make the flour specky) by rasping the shuck when ground with it on, while the new stock is sometimes apt to glaze, especially when grinding damp or wet buckwheat. Damp buckwheat is one of the greatest troubles that the miller has to contend with, and he should be careful when purchasing to test it. Good, dry buckwheat will flour when rubbed on the floor under the foot, while damp will not, and as the buckwheat season is very short (generally ending with the year) and there being, so far as I know, no satisfactory means of drying it, the miller has nothing to do but make the best of it, select dry, cold weather to grind it, and when his burrs begin to hum raise them till they stop, and he will generally do as well as to keep fooling trying to make a yield .-(Thomas Wright, in the Millstone.)


CELLULOID TO BE SUPERSEDED. - A new substance has been prepared for the purpose of superseding celluloid. The new material possesses all the hardness and brilliancy of the celluloid, and has the advantage of being fireproof. A solution is prepared of 200 parts of casein in 50 parts of ammonia and 400 of water, to which are added; Quicklime, 240 parts; acetate of alumina, 150 parts; alum, 50 parts; sulphate of lime, 1,200 parts; oil, 100 parts - the oil to be mixed in last. When the mixture has been well kneaded together and made into a smooth paste it is passed through rollers to form plates of the desired thickness. These are dried and pressed into metalic moulds previously heated or they may be reduced to a very fine powder, which is introduced into the heated moulds and submitted to a strong pressure. The objects are afterwards dipped into the



MEMPHIS GRAIN AND PACKAGE ELEVATOR.

house, which may be located at any convenient point.

carried up to a height where the brackets out leaving his place. Steam is carried to same storage capacity as one on the general plan, these Engines through pipes from the boiler- is fully one-third less in size, and accomplishes in a superior manner all that can be done in the old plan.



END VIEW OF WATSON GRAIN ELEVATOR-CAPACITY, 1,000,000 BUSHELS.

Openings with flap doors near the bottom of each bin, do away with ladder rods. These openings cannot be put in on any other plan. The bins are all hoppered to discharge contents into the sinks without the use of spouts, ropes, or levers.


A drag-belt is placed full length of the building and over the top of the scale hoppers, into which all Elevator Legs can be discharged on either top or bottom strand, conveying grain in any desired direction to the scale hoppers.

This drag-belt is driven at either end of building, from the head of Elevator.

BUCKHEAT FLOUR.

The old method of grinding was with the shuck on, grinding slow and low, so as to get all of the flour at one operation, consequently the flour often bore a strong resemblance to wood ashes, and sometimes felt something like soft soap; and when baked into cakes was as solid and indigestible as sole leather, but this was generally the work of the apprentice. The first improvement was to grind higher, take the middlings out through a piece of take the middlings out through a piece of following bath—water 100 parts; white glue, coarse cloth at the tail of the reel, regrind them and mix the flours. This enabled the then dried, varnished, and polished with miller to improve the color and preserve the shellac.

DO YOU MAKE BUCKWHEAT FLOUR?



CRANSON'S

SILYER CREEK ROLLER BUCKWHEAT

INCREASE YOUR PROFITS. BETTER YOUR QUALITY,

SATISFY YOUR CUSTOMERS. Send for full Descriptive Circular, giving prices, Sizes, Terms, etc.

G. S. CRANSON & SON, WATEROUS ENGINE WORKS CO., Brantford, Ontario, Sole Agents for Canada.

Silver Creek, Chaut. Co., M. Y.

Please mention United States Miller when writing).

5300

'Triumph' Power Corn Shellers

IN USE.

Send for Descriptive circular and Testimonials.

PAIGE MANUFACTURING CO.,

20, 22 and 24 St. Clair St., l'ainesville, O.





JAMES LEFFE'LS IMPROVED

Pine New Pamphlet for 1883.

The "OLD RELIABLE" with Improvements, making it the Most Perfect Turbine now in use, comprising the Largest and the Smallest Wheels, under both the Highest and Lowest Heads in this country. Our new Pocket Wheel Book sent free. Address,

JAMES LEFFEL & CO., Springfield, Ohio.

and 110 Liberty St., New York City.

[Mention this paper when you write to us.]

RICHMOND MANUFACTURING CO.,

LOCKPORT, N. Y.

MANUFACTURERS OF RICHMOND'S CELEBRATED

Warehouse Receiving Separator, Grain Separator AND OAT EXTRACTOR,

WHEAT SCOURERS.

Wheat Brush Machines,


UPRIGHT AND HORIZONTAL BRAN DUSTERS.

CENTRIFUGAL FLOUR DRESSING MACHINES.

[Mention this paper when you write.

Thousands of these Machines are in successful operation, both in this coustry and in Europe. Correspondence solicited, Adjustable Brush Smut Machine.

Fraser & Chalmers.



Slide Valve Engines,

Horizontal, with Single Valves, Fixed Cut-off Valves, or A justable Cut off Valves, Hoisting Engines, Pumping Eugines.

Tubular Boilers, Cylinder Boilers, Two-flue Boilers, and Portable Boilers Outfits of Improved Mining Machinery for the systematic smelting and concentration of

for Descriptive

Union and Fulton Streets, CHICAGO.

GANZ & CO.,

Budapest, Austria-Hungary.

We are the first introducers of the Chilled Iron Rollers for milling purposes, and hold Letters patent for the United States of America. For full particulars address as

above.
[Mention this paper when you write to us,]



Mill Furnishm. Poundrymen & Kachinists. Established 1851. MILL STONES. Flouring Mill Contractors. Send for Pamphlet, Nordyke & Marmon Co

Indianapolis, and [Mention this paper when you write ms.]



[Mention this paper when you write us.]

CHOICE BEVELLED EDGE

FLOUR BRANDS

For two dollars and upwards. Also RUBBER STAMPS BURNING BRANDS, SEALS, STEEL NAME STAMPS LETTERS AND FIGURES, Etc. Orders promptly attended to CHAS. H. CLARKE, Box 114 82 Wisconsin St , Milwaukee.

Milwaukee & Northern Railroad.

THE OLD RELIABLE ROUTE.

17 Miles the Shortest Line

GREEN BAY,

Oconto, Fort Howard, Depere, Menasha, Neenah, and Appleton

THE NEW ROUTE TO-New London, Grand Rapids, Chippewa Falls, Eau Claire, and all points in CENTRAL AND NORTHERN WISCONSIN.

The new line to Oconto is now completed, and opens to the public the shortest and best route to all points on the Michigan Peninsuls.

CONNECTIONS, AT PLYMOUTH with Sheboygan and fond du Lac Divi-sion Chicago & North-Western R'y for Sheboygan and Fond du Lac. AT FOREST JUNCT'N with Milwaukee, Lake Shore and Western Railway

AT FOREST JUNCT'N with Milwaukee, Lake Shore and Western Railway. AT GREEN BAY with Chicago & North-Western and Green Bay, Winona & St. Faul Railroads, for all points North and West.

C. F. DUTTON,

F. P. REGAN, Gen'l Ticket Agent.



POOLE & HUNT'S Leffel Turbine Water Wheel

Made of best materials and in best style of workmanship.

Machine Molded Mill Gearing

From 1 to 20 feet diameter, of any desired face or pitch molded by our own special machinery. Shafting, Pulleys, and Hangers, of the latest and most improved designs.

Mixers and General Outfit for Fertilizer Works. Shipping Facilities the Best in all Directions.

POOLE & HUNT, Baltimore, Md.

N. B.—Special attention given to Heavy Gearing for Pulp and Paper Mills. [Mention this Paper when you write to us.]

Stout, Mills & Temple,

DAYTON.

OHIO.

MANUFACTURERS OF THE

American Turbine Water Wheel,

ert Quality French BURR MILLSTONES.

Sole Agents in Dayton for the sale of DU FOUR & CO'S CELEBRATED BOLTING CLOTHS.

flour and Paper Mill Machinery, Best Chilled or Por-celain Rolls for Crushing Wheat and Middlings and GENERAL MILL FURNISHING

The American Turbine, as recently improved, is unequaled in the power utilized from a given quantity of water, and is decidedly the bust wheel ever known. It has also been otherwise greatly improved.

Large Illustrated Catalogue Sent Free on Application. 🖜 [Mention this paper when you write to us.]

ESCOVENED ES EC ED ES EC EC ES.

VOECHTING, SHAPE & CO..

SOLE BOTTLERS OF

JOSEPH SCHLITZ BREWING COMPANY'S

CELEBRATED MILWAUKEE LAGIR BEER

MILWAUKEE, BOTTLERS' SUPPLIES CONSTANTLY ON HAND.

[Parties corresponding will please state where they saw the advertisement.]

FROM 1-4 to 10,000 LBS. WEIGHT. True to pattern, sound and solid, of unequaled strength, toughness and

durability.

An invaluable substitute for forgings or cast iron requiring threefold An invaluable substitute for forgings or cast iron requiring threefold strength.

Gearing of all kinds, Shoes, Dies, Hammer-Heads, Cross-Heads, for Locomotives, etc.

15,000 Crauk Shafts and 10,000 Gear Wheels of this steel now running prove its superiority over all other steel castings.

CRANK SHAFTS, CROSS-HEADS and GEARING, specialties.

Circulars and price list free. Address,

CHESTER STEEL CASTINGS CO., 407 LIBERTY ST., PHILADELPHIA, U. S. A.



HARRIS-CORLISS ENGINE.

-BUILT BY-

WM. A. HARRIS, Providence, R. I.

Built under their original patents until their expiration. Improvements since added: "STOP MOTION ON REGULATOR," prevents engine from running away; "SELF-PACKING VALVE STEMS" (two patents), dispenses with tour stuffing boxes; "RECESSED VALVE SEATS" prevent the wearing of shoulders on seats, and remedying a troublesome defect in other Corliss En gines, "BABBITT & HARRIS' PISTON PACKING" (two patents). "DRIP COLLECTING DEVICES" (one patent). Also in "General Construction" and Superior Workmanship."

The BEST and MOST WORKMANLIKE torm of the Corliss Engine now in the market, sub-

tantially built, of the best materials, and in both Condensing and Non-Condensing forms.

The Condensing Engine will save from 25 to 35 per cent. of fuel, or add a like amount to the power and consume no more fuel. Small parts are made in quantities and inter-changeable, and kept in stock, for the convenience of repairs and to be placed on new work ordered at short notice.

NO OTHER engine builder has authority to state that he can furnish this engine

The ONLY WORKS where this engine can be obtained are at PROVIDENCE, B. I., no outside

parties being licensed.

WM. A. HARRIS, Proprietor.

[Mention this paper when you write to us.]

The Perfect Feed Box




it insures a perfectly even distribution of the middlings over the entire width of the cloth. Every miller will ap-preciate this. Fits all purifiers. Address,

CASE MANUFACTURING CO., COLUMBUS, OHIO.

W. R. CATLIN & CO., 68 LAKE ST., CHICAGO, ILL.

AGENTE [Please mention this paper when you write to us.



NOTE ON THE ACTION OF A SAMPLE OF MIN-ERAL WOOL, USED AS A NON-CONDUCTOR AROUND PIPES.

[A paper by F. R. Hutton, School of Mines, NewYork City, read at the Philadelphia meeting of the American Society of Mechanical Engineers]

The samples exhibited to the society were taken from the outside of a five-inch steampipe, which carries steam at an average of 40 pounds pressure per square inch.

The pipe is one of three which lie close together, and are surrounded with a casing of galvanized iron. Inside this casing was packed the mineral wool which has acted on the pipe as shown. The casing was made in bandages soldered together endwise and at the joints. The only outlets were at the intervals where hanger rods hooked into rings on the pipes to support them. Where the pipes passed through the open air, it was possible for atmospheric moisture (fog, rain or snow,) to enter within the casing by trickling down the hanger rods. Where the piping was under cover the moisture could only come from leakage at the joints, or it might have been conveyed as steam along the tight casing. But so tightly was the wool packed in many places that long travel was prevented.

The samples were taken from a part of the pipe which it had become necessary to unsheath, where the run was under cover. Some are from the neighborhood of a flange joint where a rubber gasket had deteriorated and permitted a slight leakage. Others are from a length of pipe which enters an elbow, where the expansion of a long run of pipe is concentrated. The flexing of this joint has caused a leakage, or else the moisture has come from a buried pipe which leaked under ground some time before opportunity arose to repair it. In either case the corrosion of the pipe seems to be the result of the action of mineral wool when affected by moisture and heat. The intensity of corrosion may be inferred from the fact that the threads of the pipe have been obliterated, partly by loss of top, no doubt, as well as by the filling of the roots. These cakes may be lifted by the thumb nail where large. Smaller flakes are broken off by expansion and contraction.

The mineral wool, when sheathed in this way, seems to change in mechanical character when permeated by moisture. This change will be shown to be one result of a chemical decomposition. When dry it remains a non-adherent, bulky and open mass all around the enveloped pipes. When it becomes wet—(it holds a great deal of water) -it becomes soggy, more compact, and falls away from the upper part of the sheathing, in some cases exposing the pipe. The saturation has been detected in one or two places by the deformation of the sheathing. Water may be squeezed out of the mass even after it appears dry.

To supplement the subject is exhibited a piece of 21-inch pipe, which has been buried in mineral wool packed into a brick tunnel open at the ends. The top of the tunnel was flat, made of blue stone flags laid in cement, and covered all over with cement. Whatever moisture got into the tunnel should have evaporated outwards at the ends; but some did not, and has acted to corrode the pipe to great thinness on the lower side, and it was ultimately blown through at about the middle of its length. This pipe as well as the fiveinch pipe from which the scales were taken, were laid new and sheathed in the fall of 1879; they are, therefore, not quite two and a half years old. I have just dug up a 8-inch pipe

laid in the summer of 1874 in earth which is not particularly dry. It is as good and strong as ever, and has had just the same work to do as the sample shown. Both were return pipes from steam-heating systems, carrying condensed steam back to the boilers.

It has, therefore, become necessary to look for the cause of this rapid corrosion. The mineral wool is made by disentegrating blastfurnace slag by a jet of steam or air. The wool must, therefore, contain whatever constituents were in the slag, and will be as diverse as different samples as the charges in different blast furnaces. But the general composition must be a compound of silica with bases, usually lime, magnesia, etc. It may be expected, therefore, that some characteristics of one sample of such silicates, when it becomes wet, may be taken as likely to hold for all. It is a known fact that these silicates, under heat and moisture, will decompose into the hydrated silicic acid, or gelatinous silics, according to the chemical formula below (taking lime as probable base):

 $CaSiO_{8+} 2.H^{2}O = Si(HO)_{4+} CaO.$ The CaO is caustic lime, which mere dampness will slack, and cause to attack any iron

of the wool sets free oxygen in what the chemists call a nascent state, in which state it will assault the iron as likely as the lime. But the specimen which I took and exposed to a few simple qualitative tests gave a strong reaction for hydrosulphuric acid-the characteristic acid of corroded eggs. The element sulphur is not at all an unusual one in slags. It may be present as combined in a sulphide, or in a hyposulphite, probably with lime as a base. In either case moisture and heat would release sulphur as an oxidizing agent, which would be only too likely to fasten on the iron. Qualitative tests have shown the unmistakable presence of sulphur in solutions of scale taken from the pipe, thus proving that corrosion must have been more active than that due to an innocuous non-conductor, even though

Where the wool has remained entirely dry, the pipes are as good as new. The white stencil of the tube works is as legible as ever at such points. The inside of the sample shown own theory was the sulphate theory; I know is free as ever from oxide, but where moisture is to be expected on the outside of pipes—as it must be in expanding and contracting runs of long pipe-it would seem necessary for the engineer to be very certain of the absence from his non-conductor, of such an agent as has been determined in this particular case. and to have his silicate in a form which will not decompose. The action would seem to be no less decided than in the cases where unleached ashes have been similarly used. The experience is, therefore, put at the service of the society for the protection of its members against similar mishaps.

Mr. Kent:-I think this is an exceedingly valuable paper. It will not only prevent us from using mineral wool in its present conditions, but it will teach mineral-wool men to purify their products from deleterious elements. I must disagree however, with the gentleman in regard to part of the chemical theory, the first part and the second part. As to the third part I partially agree with him. I think it is exceedingly unlikely that there is any decomposition of silicic acid or any other earth. It is also extremely unlikely that caustic lime can be formed. It is also unlikely that oxide of calcium, if formed, would oxidize the pipe. The trouble is that the mineral wool lets in, some how or other, sulphurous acid gas. If you have a freshly made sample of this mineral wool, you smell it. You have present then sulphurous acid gas and sulphide of calcium. You may have sulphide of sodium and sulphide of potassium. You have free sulphurous gas. You will not have sulphuretted hydrogen at all, except by some subsequent decomposition. Sulphuretted hydrogen could not exist at a fusing heat. The chemical reaction that takes place is the oxidation of sulphurous acid into sulphuric acid by the oxygen of the water and air, especially in the presence of oxide of iron, or even of free iron. I have made a synthesis to prove that sulphurous gas added to water, and that to iron, will oxidize it with tremendous rapidity, forming sulphate of iron, which will dissolve in impure water the same as this gentleman has found; the water solution of this iron will show sulphuric acid. You will find that recorded in the Journal of the Franklin Institute of bridges due to the presence of sulphurous acid in the smoke from the coal burned on locomotives.

Professor Thurston:-I would like to ask Professor Hutton if it is proved that caustic lime will produce corrosion?

Professor Hutton:—I perhaps ought not to say proved. The hypothesis has been advanced that external corrosion of boilers set in lime mortar is the result of calcination of that lime. I have taken that hypothesis for all that it is worth, and simply reproduce it in that form. I have no exact knowledge, no direct experiments to report on this subject.

Professor Thurston:-I asked the question because I have been accustomed to keep caustic lime in my cases with my iron to protect it from corrosion, and my object was, not to secure the absorption of moisture, but to secure the absorption of the carbonic acid that might be present. I did not suppose that moisture would do any harm.

Mr. Woodbury:-Is not the rusting of iron by mortar somewhat dependent on heat? We have wire lathing which does not rust, and through there is no rust, but plaster of Paris will, of course, rust iron very rapidly.

surface; or if that reaction does not satisfy, iron where corrosion occurs. There is a crack now that not only are other silicates attacked,

oxidation occur at all where carbonic acid was Analysis of Blast-Furnace wool removed from Pipes not present. My theory has been in using caustic lime to prevent corrosion, as I say, that it should take up the carbonic acid; as long as it is purely caustic it will take up the moisture. After it is slaked it will do that no

Professor Hutton: -- My impression is, though, Mr. President, that the point as to the decomposition of silicates under heat and moisture, is a patent fact, although I cannot myself give references to this subject. I have been told so. When this matter was brought to my mind, I at once went to Professor Egleston, our professor of metallurgy at the School of Mines, and from him that statement of the decomposition of silicates comes. My by experiment that, that is correct. This other theory is also advanced, but not directly upon my own authority and my own experiments, on which the discussion rests.

Professor Thurston:-As to the fact of corosion there is, however, no doubt.

Professor Hutton:-There is no doubt about

Professor Thurston:-This reminds me of an interesting fact in connection with this paper. One of our members who had a very long experience in marine work, has been trying to get a non-conducting material for the protection of his boilers. I talked with him one day about some boilers he put in some of the Sound bonts. He said he had given up there the use of hair felt. He found that where he used it corrosion was accelerated on the inside of the boiler. So seriously did it occur, especially about the steam-chimneys, that he gave it up. He attributed it to hair felt, and he satisfied himself by taking off hair felt and replacing it with abestos and other material, and shifting the position until he made up his mind that hair felt did

Mr. Barr:-Did he say what particular kind

Professor Thurston: - I do not remember that he did. It thinned his boilers very considerably under these sheets of hair felting, but he said it was so serious that he had given up the use of it.

Mr. Barr:-I wonder if he ever saw a steam ship boiler that was not corroded in that way, whether hair-felting was used or not?

The President:-He is a man who I do not think would be mistaken on the subject, as he has a very great experience.

Mr. Partridge:-It has been repeatedly stated that ordinary glass under the influence of condition, would certainly attack the iron, heat and moisture is decomposed. It is cersomewhat slow one. Old bottle-glass buried ed in such a way that they receive the superobtained by the use of hydrofluoric acid in dry and is not allowed to pack, there probably in which there is likely to be a large excess sensitive to the action of heat and moisture?

Professor Eggleston:-The paper which Mr. Hutton has just read is one of much interest, as blast-furnace wool is being used on a very large scale as a non-conductor. This is not the place to discuss the characteristics of blastfurnace slag, but a knowledge of a few of them is necessary in order to fully understand how it is likely to be affected. Blast-furnace slag solute freedom from moisture must be infrom which the wool is made is not a material of constant composition; it varies not only in different districts, but with the same furnace under varying conditions. It is the only means by which the sulphur remaining in the ore can be removed in any appreciable quantity, and in furnaces running upon sulphurous ores the slag is made of such a composition as will contain as much as possible of the sulphur contained in the ore. While the slags are variable so far as their ultimate chemical composition is concerned, there are a few in the blowers of mills where the nails run characteristics in which they are all alike; one of these is that they gelatinize with acids. It has been supposed until within a few years Professor Thurston:-I presume that the that silicates were not usually attacked except mortar is never in perfect contact with the by the mineral acids; it is, however, known

it may be suggested that the decomposition which holds the moisture, and that may lead but that all these silicates, forming blast-furnto decomposition. I think Professor Calvert's ace slag, are attacked with great esse by orexperiments will throw a good deal of inter- ganic and other acids, such as would be likely esting light on the matter. He investigated to be found in the ground. The sulphur, as the reaction between oxidizable metals and will be seen in the analysis below, is in the gases, and as I remember now, he never found slag mostly as a sulphide, probably of calcium.

> AT COLUMBIA COLLEGE. Water Potash. Magnesia..... 19.82 Sesquioxide of Iron..... SOLUBLE IN WATER. 1.08 Water Potash Magnesia..... INSOLUBLE IN WATER. Sesquioxide of Iron..... 0.64 ANALYSIS OF SCALE FROM PIPE. Protoxide of Iron..... Sesquoioxide of Iron..... Sulphuric acid...... 2 46 100.24

After the slag has been exposed for some time to moisture the sulphur is transformed into sulphuric acid, attacking the iron or whateverother material there may be for it to attack. Moisture, simply leaching through the slag would absorb sulphuric acid enough to give a decided reaction and to attack the iron. I have given above the composition of the wool as used around the pipes, the parts which are soluble and those which are insoluble in water before any action on the pipes commenced.

I have also given the analysis of the scale which was removed from the pipes, which shows that the action of corrosion on the iron was that of sulphuric acid. The slag transformed into wool does not differ at all from the slag in its solid form, except in the fact that it is capable of retaining a very large amount of air. To this and this alone is its non-conductive power due. It is, moreover, in this state much more easily attacked by any decomposing agent than when solid.

If this slag becomes packed in any way it loses a considerable portion of its non-conducting power, and if it becomes moist it loses still more and is very likely to pack and become worthless. Heat and moisture will decompose the slag. The slag may become decomposed with the separation of gelatinous silica; and when heated, even slightly, in this not only as ordinary water attacks iron, but tain that certain kinds of glass are easily cor- because it contains sulphates leached out, roded by moisture, though the process is a Now, if in addition to this, the pipes are buriin the soil for a comparatively short time will ficial drainage, that exerts another more powshow signs of corrosion, not unlike that of the erful action, for not only will the slag be atancient Greek glass in the Cesnola collection, tacked by the moisture, but the organic acids in the Metropolitan museum. Though this will further attack the slag and decompose it, action has not been very closely studied, the rendering it entirely unfit for the purposes for resulting surfaces are precisely similar to those which it is used. So long as the wool is kept for 1875, in connection with the destruction producing iridescent glass. Why should not is no other substance that is as good for the a similar decomposition take place with an purpose. The moment, however, that it beimperfectly formed glass-like mineral wool, comes moist it is certain that the material then becomes dangerous to the pipes it covof some of its constituents, especially those ers. Those of us who are metallurgists have known of these facts for a long time. I made allusion to some of them in the Hartford meeting, when Mr. Emery announced his extremely interesting experiments on the conductivity of heat through various substances.

One thing must be understood from the accident which Mr. Hutton describes, that whatever blast-furnace wool is to be employed absured.


There are thus several inconveniences in the use of this material:

1°. If it becomes packed it looses its conductive power.

2°. If it becomes moist it sags together, becomes packed, and is worthless.

3º. If the moisture is at all constant there will be a decomposition of the slag, and an attack on the iron by the sulphuric acid set free, or the organic acid if the material comes from the drainage of the soil.

It becomes, therefore, a matter of very great importance to engineers using this material that they should prevent any of these different things from occurring; and then the material is one of the most valuable non-conducting substances known.



EUREKA MANUFACTURING CO.,

Manufacturers and Sole Proprietors of the

BECKER BRUSH.

Galt's Combined Smut and Brush Machine. The Only Practical Cone-Shaped Machines in the Market, and for that Reason the Best.

ADJUSTABLE WHILE IN MOTION.

Nearly 1,000 of these Machines in Use

In the United States and foreign countries, and so far as we know all that use them are pleased. Millers, millwrights, and milling experts claim the Cone Shape Solld Cylinder Brush is the true principle to properly clean grain. All machines sent on trial, the users to be the judges of the work. For price and terms apply to

EUREKA MANF'G CO., ROCK FALLS, ILL., U. S. A.


Address, TAYLOR MFC. CO.

"MOORE COUNTY GRIT"

Corn-Mills and Millstones, ALL STAND. THE BEST IN THE WORLD FOR TABLE MEAL! Samples of Meal Sent on Application.

MORTH GARDLINA MILLSTONE CO. Chambersburg, Pa. (Please Mention this Paper.)

[Mention this paper when you write.)



BIRGE & SMITH. PRACTICAL

PLANS, SPECIFICATIONS & ESTIMATES

MADE FOR ALL KINDS OF

MILLWORK, MACHINERY, ETC.

Flour, Sawmill, Tanners' and Brewers' Machinery, and General Mill Furnishers.

Corner of East Water and Knapp Sts., MILWAUKEE, - - -WISCONSIN

[Mertion this paper when you write to us.]



Flour Merchants,

BRISTOL, ENGLAND.



HENRY HERZER.

Manufacturer

and

-0#-

Dresser

PICKSI

MILWAUKEE, WIS.

I have had twenty-two years experience in the manufacture and dressing of Mill Picks, and can and do make as fine Mill Picks as can be made by anybody anywhere. I use only the best imported Steel for the purpose. My work is known by millers throughout the country, and is pronounced to be first class by the very best unders.

and is problement and is problement of the most gratifying testimonials. We have hundreds of the most gratifying testimonials from nearly all the States. We solicit your orders and guarantee satisfaction. Address as above.

[Flease mention this paper when you write.]

THE S Milwaukee, Lake Shore & Western

RAILWAY.

THE BEST LINE BETWEEN

Milwaukee, Sheboygan,

Manitowoc, Appleton,

New London and Wausau.

9 DAILY THROUGH TRAINS 9 EACH WAY.

Sleeping Cars on all night Trains.

THE BEST ROUTE

From Oshkosh to all Points North and Northwest via New London Junction,

The fishing resorts on the Northern extension of the Line offer unsurpassed inducements to sportsmen. Special excursion rates for parties. Descriptive pamph-let forwarded to any address on application to the under-signed.

H. G. H. REED, Genl. Supt.

H. N. WHITOOMB. Gen'l Pass. Agent.

Corner East Water & Mason Streets,

MILWAUREE. WIS.

BURNHAM'S Standard Turbine

Over 2.000 sold the past eight years. New Illustrated and Descriptive 'amphiet sent free by

BURNHAM BROS.,

York, Pa

[Please mention this paper when you write us.]

We continue to act as Solicitors for Patents, Caveats, Trade Marks, Copyrights, etc., for the United States, Cauada, Cuba, England, France, Germany, etc. We have had thirty-five years' experience.

Patents obtained through us are noticed in the Scientist American. This large and splendid illustrated weekly paper, \$3.20 a year, shows the Progress of Science, is very interesting, and has an enormous circulation. Address MUNN & CO., Patent Solicitors, Publishers of Scientistic American, \$7 Park Row, New York. Hand book about Patents sent free.

BOLTING CLO

Don't order your Cloth until you have conferred with us; it will pay you both in point of quality and price. We are prepared with special facilities for this work. Write point of quality and price. We are privite special facilities for this work.

us before you order. Address,

CASE MFG. CO.,

Office & Factory; Columbus, Ohio. Fifth St., North of Waughten.

\$2.75 SAVED. Two Through Connections Daily.

Two Through Connections Daily.

Steamer CITY OF MILWAUKEE, Side wheel, leaves her dock at 2:30 P. M. daily, (Sundays included,) and makes the run to Grand Haven in five hours, connecting with 9 P. M. through train for New York, Boston, and all Eastern Points. This is strictly a Passenger Steamer and Carries no Freight.

The night Steamers MICHIGAN and WISCONSI V leave same dock at 8:00 P. M. daily, except Saturdays, and connect with Steamboat Express at Grand Haven which makes the run across Michigan and Canada 450 miles by Daylight, and reaches New York the 2nd day at 10:30 A. M.

N. B.—This entire fleet of Palace Iron Steamers is now owned and controlled by the Railway Company.

Ticket Office, No. 99 Wisconsin Street, and at dock foot of West Water Street, Milwaukee.

The GRAND HAVEN ROUTE

Is the Shortest, Quickest and Cheapest to the Zast.

DETROIT, GRAND HAVEN & MILWAUKEE

T. TANDY,

B. C. MEDDAUGH, Western Pasa. Agt. MILWAUKEE, WIS

[Mention this paper when you write us.]

THE LIABILITY OF DUST EXPLOSIONS IN MILLS PRINZ PATENT IMPROVED DUST COLLECTOR.

It is an Established Success. The Back Draft Cleaning Mechanism, the only perfect device for keeping the cloth clean, EXCLUSIVELY USED under the PRINZ PATENTS.



PAT. NOS. 212-1734 272-474 MHEWAUKEE DUST COLLECTOR MANEG CO. MILWAUKEE, WIS

> Prinz Pat. Improved Dust Collector with Fan Attachment.

Licensees Patents, Nos. 63,325 211,033 231.376 250,813 251,120 251,121 258,875 258,876 258,878 259,872

CONSOLIDATED

Machines in steady operation for over two years. Selling at the rate of 200 a month. FULLY GUARANTEED. Manufactured exclusively under the PRINZ PATENTS. Also licensed under all patents now or hereafter owned and controlled by the combined licensees Geo. T. Smith Middlings Purifier Co. of Jackson, Mich.; Kirk & Fender, Minneapolis, Minn., and Samuel L. Bean, of Washington, D. C.

** SEE + SPECIAL + NOTICE. **

License under all patents furnished purchasers. Send for circulars and other references. All correspondence promptly answered. You will save time, money and labor by using this machine. EVERY MILLER SHOULD HAVE IT.

Remember it is the BEST. Note testimonials, samples of hundreds received.

TESTIMONIALS.

MINNEAPOLIS, MINN., April 2, 1883. Minuaukee Dust Collector Mig. Co.

GENTLEMEN—In reply to your request for our opinion of the merits of your Dust Collector, will say, we are using them on twenty purifiers and they ventilate perfectly and require no attention. We consider it the best Dust Collector in the market.

Yours truly, Yours truly, J A. CHRISTIAN & CO.

Minnearous, sets., sets

Milwarkee Dust Collector Mfg. Co.

GENTHEMEN—Yours of 30th ult. at hand. We say in reply, that we have six of your Prinz Dust Collectors in our mill, and they are giving best of satisfaction, doing all that you claim for them. We consider them the best Dust Collector in the market.

Dust Collector in the market.

D. R. BARBER & SON.

ROCHESTER, N. Y., April 17, 1888.

Milwaukse Dust Collector Mfg. Co.

GENTLEMEN—In reply to yours of the 14th uit. would say that the Prinz Dust Collector in use in our A and B mills are giving excellent satisfaction, need very little attention, and do their work remarkably well.

Yours very truly, MOSELY & MOTLEY.

Milwaukee Dust Collector Mig. Co.

GENTLEMEN—Yours of date, Feb. 24, received, making inquiry as to how your Dust Collectors are working, would say they are giving us entire satisfaction. We are running twenty of them.

Yours truly,

* They give us no troub.

Yours truly,

JAMESTOWN, N. Y, April 27, 1888.

Milwaukee Dust Collector Mfg. Co. JAMESTOWN, N. Y. April 27, 1888.

GENTLEMEN—I have the Dust Collector that you shipped to D. H. Grandin, of this city, at work, and will tell you in this just what I think of it. I consider it the most perfect working machine that I ever saw, it has dispensed with the dirty dust room entirely. It takes the dust from four purifiers completely, and from nine seis of single roller mills to a perfection. I cannot say enough in its praise, and feel sure that it has a future unequaled by any mill improvement of the age. I remain very respectfully yours.

J. PHETTIPLACE.

MILWAUKEE DUST COLLECTOR MF'C CO., Milwaukee, Wis., U. S. A.

Please mention the United States Miller when you write to us.

A MICHIGAN miller writes us as follows: "We notice that an effort is being mude to stop the publication of trade notes in milling papers. I assure you that there is no matter in milling journals that is read with more in-terest than these trade notes. Every miller is desirous of knowing who is making improvements and what the nature of those improvements are. A miller contemplating making changes will read these "trade notes," and is often governed in his purchases by them. He sees that some miller in whom he has confidence has ordered certain machinery and concludes to order similar machines, and is often thereby influenced to make changes which he would not have thought of if not suggested by the trade notes, the result of which will be to his advantage as well as to in front of the mourners. He has now his that of the millwright, manufacturer and mill-furnisher. I vote for the publication of plenty of "trade notes."

AN ENGLISH GRADUAL REDUCTION MILL.

British millers, although rather slow about coming to conclusions about adopting new methods and machinery, when they do finally make progress make it in earnest. During the past two or three years many most excellent mills have been erected in Great Britian. One of the latest complete gradual reduction mills has recently been built for F. Mors, Esq., of Salford. It has a capacity of 900 sacks per week. The Miller (London) has recently published an illustrated description of it. The system employed is known as the "CARTER CONTROLLABLE AUTOMATIC SYSTEM." After the wheat is cleaned (by EUREKA machines, built by Howes & Ewell, of Silver Creek, N. Y.,) it passes into a bin over the first break roll. There is a row of five break rolls and eight smooth rolls. After the first break the wheat passes into one of the scalpers; the overtuils of this scalper pass into the second break roll and so on to the last. The overtails of this machine pass through the bran-duster and thence to the bran sack. Most of the siftings of these scalpers unite and enter a reel which takes out the flour and fine middlings and sizes the coarse middlings (semolina). The flour and middlings then pass into another reel which removes the flour and the middlings tail over and then go to be dusted and sized. The various sizes pass over various purifiers and from thence to the smooth rolls. The coarse semolina and middlings are lightly crushed and dressed through centrifugals and the overtails of the dressing machines are redusted and re-purified, and yield some of the best middlings. The germ comes away flattened and is sacked by itself and finds a ready market (presumably to the manufacturers of the much advertised "Health Food," "Infants' Food," etc). Middling of various qualities and sizes from purifiers and dressing machines drop into the set of worms by numerous apouts. There is a worm for every smooth roll and into some of them middlings meet from various sources. The break rolls, smooth rolls and purifiers are all provided with automatic feeders. It is said that by actual test the same amount of power will produce one-third more flour with the full-roller process than with mill-stones.

BILL ARP TALKS OF BOYS AND TRADES.

I believe in these schools where boys can learn trades. Peter the Great quit his throne and went off to learn how to build a ship, and a minute. he learned from stem to stern, from huli to mast, and that was the beginning of his greatness. I know a young man who was poor be placed, will cost \$25,000 .- San Francisco and smart and a friend sent him to one of Chronicle. these schools up North and he stayed two years and came back as a mining engineer and a bridge builder and last year he planned and how a snake can climb a tree?

eats grass from her and the horse eats to unconscious fellowship with him. The hloom?

There is more hope of a dull boy who wants man's hat, where he found them; he under- smoke to go out, and you can't get it hot freshest vegetable oils.

knowledge, than of a genius, for a genius generally knows it all without study. These close observers are the world's benefactors.-Bill Arp in Atlanta Constitution.

HIS OWN MONUMENT AND EPITAPH. [From the Ogdensburg Journal.]

A gentleman from this city who has just returned from a visit to Vermont, in visiting a cemetery at Cavendish, Windsor County, saw a monument of recent date. The person who erected it, and for whom it stands in memory, still lives, although he has had his funeral sermon, taking his place in the church coffin ready in the house, to receive his body as soon as life is ended. It is inscribed: "Tho' I am dead, yet speaketh. For here is rest "

"Upon the millstone top I set the noble block To let the world know what I have done; it is ever Been my heart's desire To do unto you as I would That ye should do unto me. Bo cast the beam out of your own eye And let me rest in peace. And sing my redeemed love. Come my aweet companion, Meet me here."

He being a miller, took one of the millstones for a base for his monument. Since the erection of the monument his "sweet companion" has died.

THE LARGEST GRAIN SEPARATOR IN THE WORLD.

At the Genesee Flour Mills, on Gold Street, San Francisco, may be seen what is probably the largest grain separator ever built in the United States, and supposed to be the largest in the world. It is being constructed by George Summerton, foreman of the mill, for Flood & O'brien's large granaries at Port Costa, where it will be in operation by the middle of September. The capacity of the separator is guaranteed to be 200 tons an hour. The engine, which will be of the latest pattern, is being built in this city. The separator itself is twelve feet long and ten feet high, and will be placed on the third floor of a building thirty-two feet square and seventyfive feet high. It has twelve adjustable sieves, six on each side, and four blast fans, which are driven by the eccentric shaft and make 600 revolutions per minute. The shaker plates annual convention. are driven by an adjustible eccentric, and the shaker frames are suspended by plate steel springs, which moves the frames 600 times a minute. If the grain elevator feeds the separator too fast the surplus grain is led off by a spout which carries the grain back to the elevator, and it is then lifted again and replaced in the separator. There are three full sets of sieves, which can be placed in or removed from the separator in a few minutes to accommodate the different kinds of grain. The feed-spout is adjustable, and feeds the motion. The grain goes from the separator elevator is placed in a bin ten feet below the judgment may be necessary. lower floor, and the bin is grated over with iron rods to prexent accidents. The elevator buckets are eighteen inches long and six inches deep, and travel at the rate of 300 feet

It is estimated that the separator, elevators, engines, and the building in which they will

FOR LOVE OF A LITTLE CHILD.

A Cincinnati paper says: In a pottery and built a cotton factory and is getting a factory here there is a workmen who had large salary. How many college boys are one small invalid child at home. He wrought the ground. Time and weather seemed to have Thus, on the first day, sperm oil will be there in Georgia who can tell what kind of at his trade with exemplary fidelity, being alnative timber will bear the heaviest burdens ways in the shop with the opening of the day. or why you take white oak for one part of a He managed, however, to bear each evening wagon and ash for another, or what timber to the bedside of his "wee lad," as he called coal to the consistency of paint. Put a coat oil flows quickly, like water, but also dries will last longest under water and what out of him, a flower, a bit of ribbon, or a fragment of this over the timber, and there is not a man the water. How many know sand stone of crimson glass-indeed anything that would that will live to see it rot. from lime stone or iron from manganese? lie out on the white counterpane, and give a How many know how to cut a rafter or a color to the room. He was a quiet, unsentiwhich turns the fastest the top of the wheel without something that would make the wan or the bottom as the wagon moves along the face light up with joy at his return. He never ground? How many know how steel is made, said to a living soul that he loved that boy so fore and the cow gets up behind, and the cow whole shop into positively real but days later, when the store was full of customthe ground, or what tree bears fruit without tive pictures down their sides before they stuck them in the corner of the kiln at burn-

cynics, as you will, but it is a fact that the entire pottery full of men, of rather coarse fibre by nature, grow quiet as the months dropped swearing as the weary look on the mistake that the inevitable shadow was cently confessed when asked. drawing nearer. Every day now some one did a piece of work for him and put it on the sanded plank to dry, so that he could come later and go earlier. So when the bell tolled, and the little coffin came out of the lowly door, right around the corner, out of sight, there stood one hundred stalwart working men from the pottery with their clean clothes the privilege of taking part in the simple procession, and following to the grave that small burden of a child which probably no one of them had ever seen.

MILLERS' NATIONAL ASSOCIATION MATTERS.

The Sub-Executive Committee of the Millers' National Association met at Minneapolis on Monday, October 8, and in an informal way discussed all matters of interest pertaining to the Millers' National Association. There were no new developments in patent matters.

Some details were discussed in regard to the winding up of the Denchfield case, in connection with the proper disposition of such costs as were likely to be collected from the phrintiffs.

In conformity with a resolution, passed at the last annual convention, the president appointed a committee on transportation and marine insurance, consisting of C. H. Seybt, chairman, John T. Ames, of Northfield, and Wm. Sanderson, of Milwaukee. The scope of this committee's work wi'l be to investi- and welded at each joint. The upper end of gate all matters pertaining to transportation, the rod was drawn to a point, and care was both inland and foreign, to ascertain what defects exist in the present forms of bills of with damp earth at the lower point. The rod luding and such other matters connected was secured to the church by galvanized-iron therewith, as may in its judgment require staples. changing and to entertain all matters of complaint in connection therewith, and report what action, if any, is necessary, or advisable to be taken by the association at the

The present methol of marine insurance were also fully discussed, and the committee was instructed to embody this matter in its

The bran-compresser was talked up and the committee is of the impression that before the expiration of the time set, viz., Jan- that occasion describes a part of it as follows: uary 31, 1884, a successful machine will have been produced answering all of the requirements named in the offer made at the Cleveland Convention.

The secretary was instructed to issue a cirwhole length of the sieves, which have an end cular letter to inventors informing them under what conditions their respective inveninto two large bins, from which it is drawn tions will be tested by the committee and by a number of spouts. The foot of the grain giving them such other information as in his

ITEMS OF INTEREST.

How to Preserve Fence Posts or Other Lumber in The Ground .-- A writer in an ex- kinds of the same article, one of which, being change says: I discovered many years ago that wood could be made to last longer than place single drops of each in a line across the iron in the ground, but though the process so end of a piece of plate-glass about 24 inches simple that it was not well to make a stir long, one end being 6 or 8 inches higher than about it. I would as soon have poplar, base- the other, to form an inclined plane. The no effect on them. The posts can be prepare found in the rear but it will in time overtake for less than 2c. apiece. This is the receipt: the rear, and retain its power of motion after Take boiled linseed oil and stir in pulverized most other oils have dried up. A light-bodied

THE ignorance of some people about some things is often strikingly and comically illusbrace without a pattern? How many know mental man, but never went home at night trated. I am reminded of this by a story told the glass. It is scarcely necessary to remark by a Mr. Davis, a stove dealer in Northern Texas, who trades with a big stove house on North Main street. Mr. Davis said that about above method will show the physical qualities much. Still he went on patiently loving two years ago a big countryman came into of different descriptions of oil, but if the How many know that a horse gets up be- him, and by and by he moved that his store and bought a cooking stove. A few ers, the big countrym in drove up and hitched him? How many know that a surveyor's workmen made curious little jars and his ox team to the horse rack, came to the mark upon a tree never gets any higher from cups upon their wheels, and painted diminu- front door and bawled out that his stove "would not work" and that he had brought it back. Mr. Davis, rather mortified at the fel- formation of verdigris, where acid is present. There is a power of comfort in knowledge, ang time. One brought some fruit in the ow's unfavorable expresssions, asked what The existence of a blue tinge of florescence but a boy is not going to get it unless he wants bulge of his apron, and another engravings in was the matter with it, and wound up the in a glass phial of oil is frequently assumed it and wants it bad, and that is the trouble a rude scrap-book. Not one of them whisp- question with the statement that he had to indicate the presence of mineral oil, but with most college boys, they don't want it. ered a word, for this solemn thing was not to never before heard any one complain about this is an illusory test, since the same effect They are too busy and haven't got time, be talk about. They put them in the old the stoves. "Why there ain't no hole for the is frequently observed in the purest and

stood all about it, and, believe it or not, enough on the top to dry spit," was the appaling answer. Mr. Davis suspicioned right away that the fellow did't know how it ought to "work," and on opening the stove his suspidrifted, becoming gentle and kind, and some cion was fully confirmed. The fellow had been starting fires in the oven and trying to cook patient fellow-worker's face told them beyond his meals in the fire box, as he himself inno-

> THE GRINDSTONE.-Mr. J. E. Mitchell in the Journal of the Franklin Institute, says, about the grindstone:

"All nations use it, and it is perhaps with all the one piece of mechanism that bears the same form and is the same in principle. More or less directly it takes part in the greatest modern material enterprises; it has no on, most of whom gave a half day's time for doubt assisted to fashion the implements of many of the lost arts, and is still needed in many of the requirements of the arts of the present day.

> A CAVITY in a grindstone may be repaired as follows: Take a piece of old grindstone and pound it up quite fine, or procure some fine, sharp sand and sift out the coarsest, using only the fine; make this into a paste with one-third the bulk of hydraulic lime or cement and sufficient water glass; undercut the cavity in the grindstone or drill keyholes in it, and fill it with the cement as above made. It will harden very rapidly. Very good artificial stones may be made in this manner in a mould to which considerable pressure can be applied.

> A CHEAP LIGHTNING-ROD.-A person who was entrusted with the matter of equipping a church with lightning-rods consulted a number of electricians upon the subject, and as the result of a number of opinions from experts, he used a lightning-rod made of round iron three-quarters of an inch in diameter. taken to provide a good ground connection

The whole length of the rod was 192 feet, and the cost \$14.80, or seven and three-quarters cents per foot.

The rod conducted away a charge of electricity during a thunder storm, without any damage to the church.

At the conclusion of a grand day's hunt out West, not long ago, the tired and happy hunters gathered around the banqueting table in the evening and ate and drank to their hearts' content. A poet who was present on

> They set the barrel on one end, And stove the other in; They used for tapster to attend A ladle made of tin.

The whisky, made by honest men Was drauk by men upright, And none would deem it hurtful then To drink on such a night.

Then every man drank what he choose. And all were men of spunk; But not a fighting wrangle rose, And not a man got drunk.

How to Test Machine Oils.-A good plan to test a lubricating oil is to take several well known, may serve as a standard, and to wood or ash as any other kind of timber for drops of oil run down this smooth plane in a fence posts. I have taken out basewood posts race with each other. The quality of the oils after having been set seven years, that were for lubricating purposes is shown by the disas sound when taken out as when first put in tance traveled and the trace left by the drops. quickly, whereas what is needed is a good body combined with a limpid flow. Many oils have a good body, but have a tendency to gum, and this will be distinctly shown upon that the test slip should be covered from dust while the experiment is being made. The presence of acid is to be detected, another simple device may be adopted. In a sheet of bright copper a number of shallow pits are made by the blow of a round-faced hammer. Samples of oil left some days in these dishes on a shelf in a warm room will show, by the

THE MARTIN

Improved Centrifugal Flour Dressing Reel!




Over 1,000 in Use!

Largest Capacity,

Best Results,

Lightest Running,

Least Wear of Silk.





Over 1,000 in Use!

Our New Double Conveyors,

New Cloth Fixing and Stretching Device.

New and Improved

Manner of Driving,

Are Special Features of the Greatest Importance.



THE MARTIN CENTRIFUGAL has more than FOUR TIMES the capacity of the ordinary reel, and will make clear flour and a clean finish on stock that cannot be treated in the common reel without loss, no matter how much silk it is passed over.

IT IS ESPECIALLY ADAPTED to handling soft, re-ground material, full of light impurities, whether from rolls or stone.

IT IS VASTLY SUPERIOR to the common reel or dusting middlings.

IT IS INDISPENSABLE to a CLOSE FINISH in any system of gradual reduction milling, and will improve the quality of the low grade flour, at the same time it makes the offal cleaner.

IT MAKES A OLEAN SEPARATION on caked and flaky meal from smooth rolls, which no other style of reel can do.

THEY CAN BE USED TO ADVANTAGE as a complete system of bolting, to the exclusion of the ordinary reel.

Since commencing the manufacture of these reels we have sold them in large numbers to leading millers in all parts of the country, for work in connection with all kinds of reduction machines and on every class of material, and they are giving unqualified satisfaction. We build them in six sizes, suitable for all classes of mills, which will be a suitable for all classes of mills, and they are giving unqualified satisfaction.

Geo. T. Smith Middlings Purifier Co., Jackson, Mich.

THE

Geo. T. Smith Improved Middlings Purifier

The Geo. T. Smith Purifier was the first successful Sieve Purifier ever used in this or any other country. The demand for it has steadily increased from the day the first machine was started.

More than Seven Thousand are Running in the United States Alone.

Exclusive Features.

Patent Automatic Brush.

Patent Self-Regulating Feeding Device.

Patent Coil-Spring Eccentric Connection.

ASILY ADJUSTED.



Exclusive Features.

Patented Application of Graded Controllable Air Currents.

Patent Cloth Tightener.

Patent Double Conveyors, in the same Horizontal Plane.

LIGHT RUNNING.

ADAPTED TO ALL SYSTEMS OF MILLING.

FIFTEEN SIZES, SUITABLE FOR MILLS OF ALL CAPACITIES.

Single, Double, and Aspirator Machines.

SPECIAL NOTICE.—The Geo. T. Smith Purifier is licensed under all patents owned by the Consolidated Middlings Purifier Co., and under every patent granted in the United States covering any features of value as regards the convenience, economy and efficiency of a Middlings Purifier.

[Please mention the United STATES Millier when you write to us].

HOW TO WORK PORCELAIN ROLLER MILLS. (BY DR. H. SELLNICK, IN "DIE MUEHLE."

Our this year's general meeting, in Rassel, gave me the opportunity to converse with my friends about the use and the capacity of Wegmann's Porcelain Roller Mills. Although I thus had the satisfaction in the main part, to hear that the milling value of porcelain roller mills is becoming more and more recognized, and that nobody who possesses them, would be able to do without them, I also met with opinions which I had to oppose, and which showed me that the use of porcelain rollers is not yet quite understood, in such a manner as they deserve, in the interest of the progress of milling. In consideration of my advocacy of these rolls up till now, I think I may serve many by making some observations about the manner in which pocelain rolls should be worked.

The way in which to work a millstone is well known to every miller. It includes everything that is necessary to bring the millstones in a proper condition for their work according to their capacity, and to keep them in this state. It means a long series of conscientious and most careful duties, which are continuously recurring, and the neglect of which will injuriously affect the duration and proper working of the gear, as well as the grinding capacity of the stones. That it is not advantageous to give to the stones more than their proper amount of work, is also known to every miller. That this must, however, also be the case with other machines, does not seem so clear to many, and therefore they think it right to demand an amount of work from such machines, which far exceeds their capacity. This refers especially to Wegmann's Victoria Roller mill.

This roller mill has been most in demand during the last few years, and is now the one chiefly manufactured. Of 100 roller mills sold by Mr. Wegmann, 90 are Victoria Rollers and the remaining 10 are either a few of the small roller mills, with one or two pairs of small rollers, or a few large Victoria Rolls, which have pocelain rollers of 14in. diameter, and 24in. length. In the Victoria Roller Mill, millers are offered a machine, which com bines with the, according to my convictions, only correct grinding principle of middlings, a construction which is the result of ten years' experience with about 7,000 machines. Everything that was found fault with in the porcelain rollers, by intelligent well wishing millers, and the oposition which is shown against every innovation, has been carefully taken into consideration by the inventor. Although I do not mean to assert that Wegmann's Victoria roll is so perfect, that nothing more can be improved in it, I must contradict the views of those who believe that it does not yet do enough work, and that it should be made still stronger, in order to be suitable for a greater amount of power, and in order to increase its capacity.

The wish to concentrate the working capacity of a mill in a few machines of large capacity, and thus to derive more profit from the invested capital, is very natural. The use of dismembrators, indeed, is only justified for this reason. However, in the same way as formerly with the millstones, so also the capacity of roller mills is limited. If it is attempted to increase the capacity of a machine by means of applying more power, the consequence will be that the worke done is worse, or the working parts of the machine will much quicker. In order to avoid such wear, wear one should bear in mind that the working capacity of a machiner is limited by its smaller or greater liability to wear. If this limit is overstepped, excessive wear, which will destroy the working parts, will consume part of the power expended on the machine. This fact cannot be obviated by greater masses of material, that is by enlarging the machine. It could only be done by using another material of greater hardness and resistance; for the nature of the material of working parts, and their capacity of resistance, limits the amount of power expended upon them.

Now, in the porcelain roller mills it is not the bearings, shafts, wheels, and other iron parts that constitute the working parts, but it is mainly the porcelain rolls that have to do the work. These iron parts could easily be replaced by harder material. The porcelain, however, is and remains porcelain, and it cannot be otherwise than it is. The working capacity of porcelain rollers, and the amount of power to be applied to them, is, therefore, limited according to the quality of the porcelain, that is, according to its strength and resistance against wear. They should not, and cannot, work with more power, and they are, therefore, accordingly limited in the quantity of work which they are able to turn out. The

Victoria Roll uses from 11 to 2 horse power, and it can only render work corresponding to that amount of power. If it works this quantity so as to turn out better quality than other machines, that is certainly an all-sufficient advantage which it offers to millers. Any body who desires further advantages cannot obtain them so that they will last, by applying more power on one roller mill, but only by using more roller mills.

Wegmann's porcelain rollers are not machines for forced work. The purpose for which they are intended—the reduction of middlings and their grinding-does not require The material of the rollers, the porcelain, is qualified for this purpose, more and better than any other material. It is quite firm enough, and has sufficient resistance to crush middlings, and it possesses in its naturally rough surface a lasting sharpness, which is independent of all artificial aid, and which is specially suitable to take hold of the middlings, and—with the use of differential speed to sever them and so to reduce them to flour.

It is this condition on which is based the high grinding capacity of the porcelain mass used by F. Wegmann. This grinding capacity cannot be increased by the application of more power. In order to allow it to become more effective, no great pressure is required, and, much less, a greater speed; but millers make both these mistakes in many places. Some millers believe themselves able to achieve a greater capacity by strong pressure and greater speed; they therefore call for a stronger construction of the machine, in order to be able to apply the greater amount of power required; and, indeed, such proceedings can only lead to the destruction of the porcelain rollers, in the same way as excessive work on millstones would cause their greater wear and premature end. One should as long as possible and not to use them up quickly.

In my experience I have found that in using porcelain rollers it is not so important to let through a great quantity of middlings between the rollers, as it is to get a high percentage of finished flour from that which has passed through the rolls. The speed of the rollers, however, does not contribute towards making finished flour. For it in no way effects—as, for instance, is the case with millstones—the reduction itself, but it only quickens the change of the working points, on which the reduction takes place by means of pressure and simultaneous shifting (reduction by different speed). The quicker this change takes place, the shorter is the time for the reduction (the rubbing), and the less perfectly will it be accomplished. If, in such forced cases, the pressure of the rollers is increased, a greater percentual production of flour may be achieved, but not without overstepping the limit which is set by the resistance to wear of the porcelain rollers, and under a consumption of power which exceeds the working capacity, and the excess of which injuriously affects the working parts themselves, that is the porcelain rollers. The same amount of power being expended on two roller mills with slow speed and less pressure will produce more in quantity and of a much better quality.

The excessive consumption of power manifest itself first in the wear of the wheels, which have to transmit the differential speed, and next on the rollers themselves, which will be in operation in a few days. wear unequally. It is unavoidable that the rolls should at times and at places run empty and rub each other. The resistance which thus momentarily takes place in porcelain rollers is very great. For the rolls do not slip on each other in such cases, as they do for instance in chilled iron, because they are naturally rough and sharp, and they do not grind themselves smooth when they run empty; on the contrary, they will freshly roughen themselves. The rolls try to overcome this resistance, by repelling each other more, than while feed is between them, which may be perceived by the clattering noise of empty-running percelain rollers. They would easily run with the same speed, but are prevented doing so by the gears. The wheels must therefore take up all these great resistances, and they must themselves give way, that is, to let go material when it gets too heavy. Such premature wear does not occur if the porcelain rollers are worked with the same attention as millstones, and if they do not get more feed than they can bear, and if no more power is applied to them than is intended for them. I know mills which have porcelain rolls in their possession for upwards of six years, and they have not worn more than necessary, and, moreover, they have

also know millers who do not work one year with them. Why? Simply because they expect impossibilities and assume the porcelain to be indestructible. Such an opinion as the following.-"That porcelain roflers should be able to reduce the middlings coming from two or three millstones" is quite unjustifiable. The Victoria roll, according to my experience, should not make more than 120 | 130 revolutions. Then it will make 50 per cent. of flour with little pressure. But he who cannot work up all the middlings which he produces with one roller mill, should use more porcelain rolls; he should not gallop, but drive "slow and sure." He who puts 100cwt on a cart which is only made to carry 50cwt, must not be surprised if the cart breaks down. Why should it be different with machines .-Millers' Gazette (London.)

NEWS.

Burned : Lee & Brown's mill at Syracuse, Mich.

Silas Corey, Lehigh, Iowa, a Gray's noiseless belt roller

Barnum & Keenan, Leroy, Ill., a Gray's noiseless belt roller mill. A. J. Klinger, Greenville, O., will start up his mill in a

few days, on the Case system. H. C. Brose, Lanesboro, Pa., two pair porcelain rolls in

Gray's noiseless belt frames. R. Hockman & Son, Eagle City. O., will start up their

mill on the Case system in a few days. Wooemer Bros. Distilling Co , Peoria, Ili., three pair

Allis rolls in Gray's noiseless belt frames J. C. Mohrman & Co., Syracuse, Neb., one pair Allis

rolls in Gray's noiseless belt frames. Style B.

Chas. Plumbecker, Mill Grove, N Y., two pair porcelain rolls in Gray's noneless belt frames

Thomas & Hubbard, Waterford, Wis., two pair por celain rolls in Gray's noiseless belt frames.

Erastus Smith, Burlington, Kas., a Gray's noiseless belt roller mill, Gray's centrifugal reels, etc.

The Case M'fg Co., Columbus, Ohio, have an order from J. D. Felt, Emporium, Pa., for 2 additional pair of rolls. D. Thomas & Son's mili at Newark, O., has just been

endeavor to keep in use the working parts started up on the Case System by C. E. Canon of the Case The Case M'fg Co., Columbus. O., are furnishing Mc-

Corkey and Sturgeon Troy, Mo., with one No. 1 double

The Case M'fg Co. Columbus, O., have booked an order from Geo. Seitz & Son, Arthur, Mich., for one No. 1 single purifier,

C. Padgham, Union City, Mich., has ordered one additional pair of scrach rolls from the Case M'fg Co., Columbus, Ohio.

The Case M'fg Co., Columbus, Ohio, have an order from Wood & Kenyon, Onawa City, Iowa, for one double

Poliock; Bellany & Co., Seater, Mo., eight pair Allis rolls in Gray's noiseless belt frames, Gray purifiers, centrifugal reels, etc.

A. & J. D. Sharpless, Ashland, Del , a No. 2 four break reduction machine and two pair porcelain rolls in Gray's noiseless belt frames.

William Flemming, Esq., Sidney, N. E. W. Australia, two pair porcelain rolls in Gray's noiseless belt frames, and other machinery.

The Case M'fg Co., Columbus, Ohio, are furnishing John F. Wheeler, Newhamburg, Pa., 2 pair rolls with patent automatic feed.

Smith, Hill & Co., Quincy, Ill., have ordered the Case M'fg Co., Columbus, Ohio, to ship them to Palmyra Mo.,

one pair smooth rolls. The Case M'fg Co., Columbus, have been ordered to ship A. T. Foster, Woodlin, O., one pair smooth rolls with

patent automatic feed. The Case M'fg Co., Columbus, Ohio, an order from C. B. Palmer, Dayton, Ohio, for the Case patent automatic

feed for his "Odell" rolls. The Case M'fg Co., Columbus, Ohio, have an order from John Sturtz & Son, Rolling Prairie, Ind., for 2 pair rolls

with patent automatic feed. The Case M'fg Co., Columbus, Ohio, have an order from E. R. Townsend, Panama, Iowa, for one pair smooth rolls

with patent automatic feed. The mill lately remodeled to the Case gradual reduction system and owned by Mat. Wolfe, DeGraff, O., will

The Case Mfg Co., Columbus, O., have an order from F. Waldorf & Son, Monroe, Mich., for one pair smooth

rolls with patent antomatic feed. The Case M'fg Co., Columbus, Ohio, have been favored with an order for one pair rolls with patent automatic

feed from J. S. Bristal, Auburn, N. Y. Thornburg & Glesser, 47 and 49, W. Lake St , Chicago. are out with a new circular description of their bolts,

buckets, etc. They report business very good. Thos. Bradford & Co., Cincinnati. O., have ordered one

'Little diant" break and scalper, making three separations, from the Case M'fg Co , Columbus, Ohio. Dennis & Slough, Westerville, Ohio, have been running

their mill for three weeks past with Case system. They report splendid results and everything satisfactory. The Case M'Ig Co., Columbus, Ohio, have an order

from A. W. Smith, Tregarden, Ohio, for one Little Giant break machine and scalper making three separations.

A. F. Orway & Son, Beaver Dam, Wis., are remodeling a mill at Markeson, Wis. They have ordered a three roller break machine from the Case M'fg Co., Columbus, Ohio. The Case M'ig Co., Columbus, Ohio, have an order

from J. H. T. Case, Greens Springs, Ohio, for one Little Giant break machine and 2 pair rolls all to have their patent automatic feed. The Case M'fg Co., Columbus, Obio, are furnishing J.

and T. Crawford, Shiloh, O., with a Little Giant break machine, two pair rolls with patent automatic feed and one Case centrifugal reel. Mess. Stewart & Ward, Bellaire, O., have contracted

with Mess. Edw. P. Allia & Co., Milwaukee, Wis., for reodeling their mill to the roller system and will use ten pair of Allis rolls in Gray's noiseless belt frames.

Mess. T. Lloyd, Fulmar & Co., Halbo, Pa., are remodeling to the roller system and have contracted with Mess. remained round and fit for grinding; but I Edw. P. Allis & Co., Milwaukee, Wis., for the entire outfit

of the celebrated Allis rolls in Gray's noiseless belt frames. The mill when refitted will have a capacity of 125 bbls

The following are a few of the recent orders recently received by Mess. Edw. P. Allis & Co., Milwaukee, Wis, from the mill furnishing trade.

Amendt & Son, Piqua, Ohio, a Gray's noiseless belt rol-

C. E. Edgerton, Horicon, Wis., a Gray's noiseless belt roller mill.

G. C. Volkert, Jefferson City, Mo., a Gray's noiseless belt

J. W. Kaufmann, St. Louis, Mo., a Gray's noiseless belt roller mill. C. Arensburg, Marthasville, Mo., a Gray's noiseless belt

roller mill. Pierce Mill Co., Pierce, Neb., a Gray's noiseless belt roller mill.

Jones & Co., New York City, a Gray's noiseless belt

roller mill. Lawson & Bell, Gallipolis, Ohio, a Gray's noiseless belt

P. E. Dawson, Hancock, Md., a Wegmann's porcelain roller mill.

roller mill.

Raymond Mill Co., Osceola, Iowa, two Wegmann's Porcelain roller mills.

Halliday Bros., Cairo, Ill., six pair Allis rolls in Gray's noiseless belt frames.

E. Middleson & Son, Greensville, Mich., a Gray's noiseless belt roller mill.

A Gray's noiseless belt roller mill for Mess. F. S. Har-

zell & Son, Chalfort, Pa. Dow, Gieman, & Hancock, Davenport, Iowa, a Gray's

noiseless belt roller mill. Lamberson & Hallingshead, Colon, Mich, a Gray's noiseless belt roller mill.

One Gray's noiseless belt roller mill for Mess. F. A. & S. L. Bean, Fairibault, Minn.

Nine pair Allis rolls in Gray's noiseless belt frames for Clark Bros, Augusta, Kas.

Four pair Allis rolls in Gray's noiseless belt frames for M. Simonds, New Prague, Minn.

Allaire, Woodward & Co., Peoria, Ill., two Gray's noiseless belt roller mills, style B.

Johnson & Jarrett. Des Moines, Iowa, seven pair Allis rolls in Grav's noiseless belt frames. A Gray's noiseless belt roller mill for Dominion City

Mill Co., Dominion City, Manitoba. B. F. Gump, Chicago, Ill , a Gray's noiseless belt roller

mill for N. R. Parks, Nevada, Ohio. Upham, Son & Co, Blue Rapids, Kas., ten pair Allis rolls in Gray's noiseless belt frames.

Ten pair Allis rolls in Gray's noiseless belt frames for A. L. Lowell & Bros., St. Lawrence, D. T.

Simmons, Arndt & Co., Kenosha, Wis., two pair porcelain rolls in Gray's noiseless belt frames.

Ferd. Scrumaker, Akron, Ohio, two pair more porcelain rolls in Gray's noiseless belt roller frames

Phoenix Distilling Co., Chicago, Ill., eight pair celebrated Allis rolls in Gray's noiseless belt frames

Wells & Nieman, Schnyler, Neb., eight pair Allis rolls in Gray's noiseless belt frames, Gray's purifiers, etc.

Great Western M'ig Co , Leavensworth, Kas., 8 Gray's noiseless belt roller mill for W. L. Challin, Wetmore, Kas., a Gray's noiseless belt roller mill for Russell & Balcey, Wetmore, Kas.

Bradford Mill Co., Cincinnati, Ohio, four pair Allis rolls in Gray's noiseless belt frames, for Dorge & Co., Aurora, Ind.

Mess. Willford & Northway, Minneapolis, Minn., F. A. Townsend & Co., Columbus, D. T., one Gray's noisele belt roller mill, three Gray's noiseless belt roller mills for Thompson & Smith, Cannon Falls, Minn.

A. F. Ordway & Son, Beaver Dam, Wis., four pair Allis rolls in Gray's noiseless belt frames, for a job at Markeson,

Wis Richmond City Mill Works, Richmond, Ind., a Gray's noiseless beit roller mill for Meriden Mill Co., Meriden. Kas.

C. A. Pillsbury & Co., Minneapolis, Minn., ten pair more of the celebrated Allis rolls in Gray's noiseless belt frames.

Wolf & Hamaker, Allentown, Pa., six pairs of Allis rolls in Gray's noiseless belt frames for Jno. H. Lick, Union Forge, Pa. Edw. P. Allis & Co., San Francisco, Cal., sixteen pair

Allis rolls in Gray's noiseless beit frames, for jobs ou Pacific Coast.

J. R. Longfellow, Elk Falls, Kas., through Mess. Webber & Mans, Atchison, Kas., ten pair Allis rolls in Gray's noiseless belt frames

Geo. W. Waterhouse, Jr., Salem, Oregon, ten pair Allis rolls in Gray's noiseless belt frames, for Havermale & Davis, Spoken Falls, Washington, D. C.

C. W. Mehardof, East Brook, Pa., has ordered the Case M'fg Co., Columbus, O., to ship him at Nelson Station one Little Giant break machine and one pair smooth

rolls to go in the mill he is remodeling at that place. M. Caspar & Sou, Mt. Calvary, Wis., are remodeling and have contracted with Mess. Allis & Co., Milwaukee, Wis., for a No. 2 four break machine, Gray's noiseless belt rol

ler mill, etc., to change their mill to the roller system. Six pair of rolls and one Little Giant break machine, all to have patent automatic, have been ordered from the

ase M'fg Co., Columbus, Ohio, for Eastman & Son, Noshara, Iowa. The order was taken by J. T. Burkett. Lawson & Bell, Gallopolis, Ohio, have contracted with Mess. Edw. P. Allis & Cos., Milwaukee, Wis., for twelve

pair Allis rolls in Gray's noiseless belt frames and the other machinery necessary to make their mill a 125 bbi. mill on the roller system. Mess. Edw. P. Allis & &o, Milwaukee, Wis., have re-

ceived the contract for remodeling Mr. Thos. Lytle's mill at Red Oak, Iowa, and will put in a No. 2 four break machine. Four pair Allis rolls in Gray's frames, Gray centrifugals, purifiers, etc. The fi-st grist mill built in Pennsylvania was by John

Print, 1648, on the Darby road near Philadelpia. In the succeeding century there were established eighteen mills within ten miles of Lancaster, alone, using improved Oliver Evans and Ramsey machinery. H. & D. Lucus, Jewett, Ohio, have concluded to remodel their mill to the gradual system and have placed

their order with the Case M'fg Co., Columbus, Ohio, for rolls, purifiers, centrafugals, scalpers, etc. Mr. F. A. McKinxie will superintend the mill wright work. Havermale & Davis (Echo Mill Co.,) Spokane Falls, washington Territory, are about to increase capacity to

600 bbls. Present capacity 125-water power.

last with all its contents. Totalloss \$11,100, no insurance Mr. Hammer has already contracted with the John T. Noye Manufacturing Company, Buffalo, N. Y., for the re building of his mill on the latest improved plans and expects to be ready to start up in November.

There are eight or ten rice-mills in New Orleans, and ever since the advent of the new rice crop they have been kept running night and day, until the production of clean rice burdens the market somewhat. To prevent a further accumulation, all the mills agree, after Oct. 13, to make only half-time and thereafter stop night work.

The Case M'fg Co., Columbus, O., some time ago furnished Banks and Sweeney, Blackburn, Mo., with one Little Giant break machine, two pairs rolls and one No. 2 double purifier. They have now decided to change their mill to the full roller system and have placed their order with the above company for 6 pair rolls, Centritugai reels, scalpers, etc.

If a father wishes to give his son a legacy that will endure while life exist, let him send him to an institution where he can obtain a practical education, and he will have the satisfaction of knowing that he has given him what is better than houses, lands and farms, or even gold or sliver. These things may take wings and sud denly fly away; but this knowledge will last while life and reason exist .- Horace Mann.

ENGINE ITEM8.

The Cleveland Milling Co., of Cleveland, Ohio, have ordered a 30x60 Reynold's Corliss Englue complete, from Mess. Edw. P. Allis & Co., Milwauker, Wis.

Mess. Dehner, Wuerpel, M. B. Co, St. Louis, Mo., are putting in a 12x80 Reynold's Corllss Engine; made by Edw. P. Allis & Co., Milwauke, Wis., for parties at

Mr. T. B. Walker, has ordered a complete saw mill outfit of Mess Edw. P. Allis & Co., Milwaukee, Wis., including a 26x42 Reynold's new style engine. Mr. Walker will start his mill at Crookston, Minn.

Mess, Richards & Butler, Indianapolis, Ind., are furuishing a mill at Mt. Vernon, Ill., and putting in 12x36 Reynold's Corliss Engine and outit ordered from Mess. Edw. P. Allis & Co., Milwaukee, Wis.

The Diamond Match Co., Ontonagon, L. S. Mich., are soon to add a new steam power and have placed an order with Mess. E. P. Allis & Co., Milwaukee, Wis., for a 16x42 Reynold's new style engine complete.

Mess. Schmidt Bros. & Co., Oshkosh, Wis., are putting in a roller mill and have ordered a 16x42 Reynold's Corliss Engine from Mess. Edw. P. Allis & Co., Reliance Works. Milwaukee, Wis , to drive same.

The J.'S. Keater Lumber Co., of Moline, Ill., is putting in a new saw mill at that place and have placed an order with Mess Edw. P. Allis & Co., Milwaukee, Wis., for the complete outfit including a 26x48 Reynold's new style engine for furnishing power for same.

Mr. B. Gilbert, Glasco, Kas., recently placed an order with Mess. Edw. P. Allis & Co., Milwaukee, Wis., for the 12x36 Reynold's new style engine, now at the Milwaukee Exposition driving electric lights. Mr. Gilbert will use the engine to furnish the power for his mill.

Mess. Edw. P. Allis & Co., of the Reliance Works, Milwaukee, Wis, have recently received au order from the Ft. Madison Lumber Co., Ft. Madison, Iowa, for a complete saw mill outfit, gang. gang edger, etc., and an 18x16 upright gang engine. Mess. Allis & Co., have recently received quite a number of orders for saw mills and saw millengines, and are building a new engine especially adapted for such purposes.

WALKER BROS. & CO.,

FLOUR AND GRAIN

Commission Merchants

TRINITY SQUARE,

LONDON, E. C., - ENGLAND.

THE CENTURY

PROGRAMME FOR 1883-'84.

The programme for the fourteenth year of this magazine, and the third under the new name, if anything, more interesting and popular than ever. With every season, The Century shows a decided gain in circulation. The new volume begins with November, and, when possible, subscriptions should begin with that issue. The following are some of the features of the coming year:

A New Novel by George W Cable, author of "Old Creole Days," etc., entitled. "Dr. Sevier," a story of New Orleans life, the time being the eve of the late Civil War.

A New Navel by George W Cable, author of "Old Creole Days," etc., entitled "Dr. Sevier," a story of New Orleans life, the time being the eve of the late Civil War.

"Life in the Thirteen Colonies," by Edward Eggleston, separate illustrated papers on subjects connected with the early history of this country.

Three Stories by Henry James, of varying lengths, to appear through the year.

The New Astronomy, untechnical articles, by Prof. 8. P. Langley, describing the most interesting of recent discoveries in the sun and stars.

A Novelette by H. M. Boyesen, author of "Gunnar," etc. A vivid and sparkling story.

The New Ars in merican Architecture, a series of papers descriptive of the best work of American architects in Public Huildings, City and Country Houses, etc. To be profusely illustrated.

A Novelette by Hobert Grant, author of "Confessions of a Frivolous Girl," etc., entitled "An Average Man,"—a story of New York.

The Bread-winners, one of the most remarkable novels of the day, to be completed in January.

"Christianity and Wealth," with other essays, by the author of "The christian League of Connecticut," etc., on the application of Christian morals to the present phases of modern life.

Coasting about the Gulf of St. Lawrence, a series of entertaining articles, profusely illustrated.

Scenes from the Novelists, Hawiltonns, George Elior, and Carle, with authentic drawings.

On the Track of Ulysses, the record of a yachtorials in the Mediterranean, identifying the route of Ulysses on his return from the Trojan war.

"there will be papers on outdoor England, by John Bus gouchs and others, a beautinily illustrated papers on sport and and papers on outdoor England, by John Bus gouchs and others, a beautinily illustrated papers on sport and adventure, short stories by the leading write s, essays on timely subjects, etc., etc.

Subscription price, \$100 a year; single numbers sold everywhere, at 35 cents each All dealers receive subscriptions or remittance may be made direct to the publishers by po-tal or expre

THE CENTURY CO., New York, N. Y.

P. J. Hammer's mill at Andover, Ill., burned in August THE LEADING MAGAZINE FOR BOYS AND GIRLS.

ST. NICHOLAS.

EDITED BY MRS. MARY MAPES DODGE.

The New York Tribute once said: "In the avalanche of

immoral literature that threatens the children, some strong, vitally wholesome, and really attractive magazine is required for them, and St. Nicholas has reached a higher platform, and commands for this service wider resources in art and letters, than any of its predecessors or contemporaries." The reference to the wide resources in art any letters commanded by ST Nicholas was never more fully illustrated than by the extraordinary list of attractions which that magazine announces for 1884. The following will be some of the leading contributors:

Louisa M. Alcott, J. T. Trowbridge. Captain Mayne Reid, Hjalmar Hjorth Boyesen, Maurice Thompson, Frank R Stockton, Charles Dudley Warner, Joaquin Miller, Elizabeth Stuart Phelps, Mrs. A. D. T. Whitney, Julian Hawthorne, Celia Thaxter, Mary Mapes Dodge, Lieut. Frederick Schwatka, Rose Hawthorne Lathrop, E. S. Brooks, George W. Cable, Chas. G. Leland, Susan Feni more Cooper, John G. Whittier, "H. H.," W. O. Stoddard, C. P. Cranch, and scores of other distinguished writers The best artists and engravers illustrate the magazine. It has been truly said that the reading of ST. NICHOLAS is "A Liberal Education," for the boys and girls who are fortunate enough to have it. In no other book or periodical is instruction so happedy blended with rec reation and amusement.

The price is \$3.00 a year, or 25 cents a number. Book sellers, news-dealers, and postmasters receive subscriptions, or remittance may be made direct to the publishers. by money or express order, bank check, draft, or in reg istered letter.

THE CENTURY CO., New York, N. Y.

WISCONSIN CENTRAL

3 TRAINS EACH WAY DAILY BETWEEN
MILWAUKEE, FOND DU LAC, OSHKOSH
NEENAH and MENASHA

PARLOR CARS through from Chicago via Milwaukee without change, ou Day Trains.

New & Elegant Sleepers

from Chiusgo to Stevens Point on Train leaving Chicago via C M & St. P. R'y Co., at 9 P. M.
Also a Superb Sleeper from vilwankee to Neenah attached to the same train, leaving Milwankee at midnight.
N B —This Sleeper will be ready for passengers at Reed Street Depot, Milwankee, at 9:00 o'clock P. M.

2 TRAINS EACH WAY DAILY BETWEEN MILWAUKEE and EAU CLAIRE.

A DAILY TRAIN TO Ashland, Lake Superior

NO CHANCE OF CARS.

From Milwaukee to Stevens Point, Chippewa Falis, Eau Claire or Ashland, Lake Superior.

These superior facilities make this the BEST ROUTE for GRAND RAPIDS, WAUSAU, MERRILL and points in CENTRAL WISCONSIN.

F. N. FINNEY,

JAS. BARKER.

Gen'l Manager, Milwaukee. Gen'l Pass. Agent, Mil.

COMPUTATION DIARY.

Embodies everything in Figures that is PRACTICAL, and ADAPTED to the wants of Farmers, Mechanics and Business Men; and by ingenious and original systems, makes the art of computation easy and simple, even for a child. It gives the Correct answer to nearly 100,000 business examples of almost every conceivable kind, and is worth its weight in gold to every person not thoroughly versed in the science of numbers. Inselling GRAIN of any kind, it will tell how many bushels and pounds are in the load and how much it will come to, without making a single calculation. In like manner, it shows the value of Cattle Hogs, Hay, Coal, Cotton, Wool, Butter, Eggs and all kinds of Merchandise. In computing INTEREST and Wages, it has no equal, either in easy methods or convenient tables. It shows, at a glance, the accurate measurements of all kinds of Lumber, Logs, Cisterns, Tanks, Barrels, Granaries, Wagon beds, Corn cribs, Cordwood, Hay, Lands, and Carpenters', Plasterers' and Bricklayers' work, etc. It, however, not only te ils results, but also Teach Essentirely NEW, SHORT and PRACTICAL RULES and Methods for RAPID commercial calculations, which will prove highly interesting to every student of this great and useful science. It is neatly printed on fine tinted paper, elegantly bound in pocket-book form, and accompanied by a Silicate Slate, Memorandum, pocket for papers and PERPETUAL Calendar, showing the DAY of THE WEEK for any DATS in the 17th, 18th, 19th and 20th centuries. It will be to every one's interest indeed, to examine this useful and convenient work before buying a new memorandum as it saves not only time and labor, but often dollars and centuries used in the surface of the covery one's interest indeed, to examine this useful and convenient work before buying a new memorandum as it saves not only time and labor, but often dollars and centuries useful sondiars and centuries that will be to every one's interest indeed, to examine this useful and convenient work before buying a new memorandum as it saves not only time Price:

No. 8, Full Leather, with slate, pocket, flap and mem.\$1.00 Sent Postpaid on receipt of price,

UNITED STATES MILLER, Milwaukee, Wis, Address.

Millers and Mill Owners, Remember

This branch of the real estate business for the past five years. Can refer to many patrons throughout the Middle States. My terms are reasonable, if experience is worth anything, I always have men inquiring for mills. I aim to handle only those that are inviting and will pay a man to investigate. I also wish to say in the interest of humanity that I am not a physician, but tell your friends if they have any kidney weakness or frouble, that I will send them a prescription, o receipt of one doilar, that has cured some of the worst cases I ever heard of. It is a simple but effective remedy, and would be valuable in every household. Address

M. Jacobs, Sturgis, Mich.

M. JACOBS, Sturgis, Mich.

Northwestern Mill Bucket Manufactory

810, 812, and 814 FLORIDA STREET.



Is furnishing Mills and Elevators in all parts of the country with their superior BUCKETS.

They are Unrequaled for their Shape, Strength and Cheapperss.

Leather, Rubber, Canvas Belting and Boits at lowest market rates. We have no traveling agents. Sample Buckets sent on application. Large orders will receive liberal discounts. Send for sample order.

Address all inquiries and orders to

L. J. MUELLER, 197 Reed St., Milwaukee, Wis.[Mention this paper when you write us.]

W. M. SHOOK. Millwright and Contractor

Dealer in all kinds of Mill Furnishings. PRACTICAL ROLLER MILL BUILDER,

Office and Shops 172 and 174 South Market Street

CANTON, OHIO.

IMPORTANT NOTICE TO MILLERS The RICHMOND MILL WORKS, and RICHMOND MILL FURNISHING WORKS are wholly removed to Indianapolis, Ind., with all the former patterns, tools, and machinery, and those of the firm who formerly built up and established the reputation of this house; therefore to save delay or miscarriage, all letters intended for this concern should be addressed with care to KORDYKE & MARMON CO., INDIANAPOLIS. IND.

Made entirely of STEEL. ONE MAN with 10 one easily move a loaded car Will not slip on fee or

Manufactured by B. C. D. Dealer in Railroad Supplies, 40 Library St., Philadelphia, Pa.

Mention this paper when you write us.

FINE MASS. ENGRAVING CROSSCUP & WEST

COCKLE SEPARATOR MANUFACTURING COM'NY,

MILWAUKEE, WIS.

GENERAL MILL FURNISHERS

MANUFACTURERS OF


Kurth's Improved Patent COCKLE SEPARATOR, Built also in combination with Richardson's

Wheat Separators.

Large Capacity combined with Good Quality of Work. Beardslee's Patent GRAIN CLEANERS,

fully Guaranteed to give the Best of Satisfac Pott's Patent Astematic Feeder for Ru'ler Mills, Purifiers, etc., very simple and cheap. Perforated Sheet Material at low prices. Senda for Circulars and Catalogues.





CLOSE REGULATION and BEST ATTAINABLE ECONOMY of FUEL and STEAM

Highest Efficiency and Superior Construction.

Made in all Sizes, from 50 to 300 H. P.

THE HOOVEN, OWENS & RENTSCHLER CO., Builders of all styles of Engines, Boilers, Saw Mills, etc., etc.

HAMILTON, OHIO, U. S. A. BRANCH (FFICE: No. 311 1 orth Second St., St. Louis, Mo. CORRESPONDENCE SOLICITED.



This Wheel is considered one of the most correct that has been devised, gives the highest results, and, with late improvements, is now the best, most practical, and efficient Partial Gate Wheel in existence.

For Economy, Strength, Simplicity, Durability, and Tightness of Gate, it has no equal.

State your requirements, and send for Catalogue to

T. C. Alcott & Son, MOUNT HOLLY, N. J.

[Please mention the United States Miller when you write to us.

Power Transmitting Machinery.

SHAFTING, HANCERS,

PULLEYS, COUPLINGS and GEARS,

A SPECIALTY.


The Paige Manf'g Co.,

PAINESVILLE, O.

EDW. P. ALLIS & CO.

MILWAUKEE, WISCONSIN.

MILL BUILDERS AND FURNISHERS,



AND SOLE MANUFACTURERS OF

GRAY'S PATENT NOISELESS

ROLLER MILLS

CORRUGATED AND SMOOTH CHILLED IRON ROLLS,

Wegmann's Patent Porcelain Roller.

We shall be Pleased to hear from Millers contemplating an improvement in their Mills, or Building new ones, and can furnish Estimates and Plans of our system of GRADUAL REDUCTION ROLLER MILLING. We have built and Changed over hundreds of Mills, in all parts of the Country, and using all classes of wheat, BOTH HARD AND SOFT, and can furnish references on application. The Largest and Best Mills of this Country are using our System and Roller Machines. Messrs. C. A. Pillsbury & Co., of Minneapolis, have over 400 PAIRS OF OUR ROLLS AND HAVE RECENTLY PLACED AN ORDER WITH US FOR ABOUT ONE HUNDRED AND TWENTY MORE. We have had a longer and larger experience in Roller Mill Building than any other manufacturers of this country. There is no EXPERIMENT ABOUT OUR SYSTEM and Rolls, so expensive to millers, and when the mills that we build or change over are ready to start, THEY DO SO AND WITH PERFECT SUCCESS, and there is no further changing additions, stopping or expense. We manufactured and sold during the year 1881 over TWO THOUSAND FIVE HUNDRED pairs of rolls.

We can send competent men to consult with any millers who contemplate an improvement, and whom they can depend upon as being RELIABLE AND THOROUGHLY COMPLTENT to advise them as to the number and kind of machines required, best method of placing them and the change required, if any, in the bolting and purifying system. WE DO NOT URGE A GENERAL CLEANING OUT OF ALL OLD MACHINERY unless we clearly see such would be the ONLY COURSE TO PURSUE to make a SATISFACTORY AND RELIABLE MILL. In nearly all instances we can use all the Old Machinery, leaving it in its original position, or with as slight a change as possible. We aim to make the Improvement so that it will be a Profitable one to the Miller, and at the least expense possible.

Our System is THOROUGH and RELIABLE, and our Roller Machine Perfected by Long Experience, and the Miller takes no chances in using them, as HE DOES with the New Fangled Notions of Drive and Adjustment on many other machines now TRY-ING TO FOLLOW OUR IMPROVEMENTS and still avoid our Patents, in BOTH of which THEY FAIL. We were the first to advocate the Entire Belt Drive, and were opposed by every other maker, who claimed it was not positive, etc., etc., and now that our Belt Drive is an ACKNOWLEDGED SUCCESS, and will SUPERCEDE EVERY OTHER STYLE, these advocates of Gear Drive have suddenly learned that Belts are the Thing. The same may be said of our Spreading Device, Feed Gates, and Adjustable Swing Boxes. Other Makers are now copying these. ALL these Features, including BELT DRIVE with ADJUSTABLE COUNTERSHAFT and TIGHTENER, the SPREADING DEVICE, FEED GATES, Adjustable Swing Boxes and Leveling Devices, Self-Oiling Boxes, etc., are secured to us by several Strong Patents, and we CAUTION MILLERS in regard to these Infringements of Our Patents and Rights, for we shall look to THEM for Redress. The matter is in the hands of our Attorneys, who will soon take VIGOROUS ACTION against the Makers and USERS OF MACHINES infringing Our Patents.

Several machines are already on the market which Broadly Infringe, and we are informed that other makers are now changing their Old Style Machines, and adopting in a large measure Our Improvements. BEWARE OF THEM.

Send for New Illustrated Catalogue, Civing full Information to


EDW. P. ALLIS & CO.,


MILWAUKEE. WIS

Branch Office 318 Pine Street, Benson Block, SAN FRANCISCO, CAL.

[Please mention the United States Miller when you write to us.]

J. R. CROSS, Manager.





THE CHAMPIONS!

The Gilbert Combination Reduction

ROLLER MILL

Acknowledged by ALL USERS and DISINTERESTED

JUDGES to be

THE BEST COMBINATION MILL

IN THE WORLD:

It is used in a Gradual Reduction Mill to make the breaks, and to do the scalping between same, and aspirates the stock after each separation. The products from the Mill are Bran for the Duster, and Middlings for the Purifier.

The Livingston Belted Roller Mill!

The strongest, simplest, yet most completely adjusted Four Roller Mill in the market. It can be used for reducing all kinds of grain.

For descriptive circular and price list, call on or address,

STOUT, MILLS & TEMPLE, MANUFACTURERS, DAYTON, OHIO.


CHAS. BAKES, Lockport, N. Y., Sole Agent for New York, Pennsylvania, Virginia, W. Virginia, Maryland, New Jersey and New England States.

[Please mention the United States Miller when you write to us.]

The First Premium! "Reward of Merit!"

The First Premium on Roller Mills was awarded by three disinterested Judges to our 4-Roll "Bismarck" at the late St. Louis Exposition. There were six other Roller Mills in Competition, and the contest for this prize was spirited. Its being voluntarily

bestowed upon ours helps to confirm our claim to having the



Best Roller Mill Made.

This claim applies to Rolls of all sizes, adapted to mills of large and small capacity.

Our Break Machine and Scalper Combined was awarded The First Premium at the Cincinnati Exposition just closed. Such extracts as the following from our recent Correspondence show the esteem in which our machinery is held.



Jamesport, Mo., October 15th, 1883.

"In conclusion I would say that if I were to put up another Mill on the Gradual Reduction System, I would loose no time in making up my mind in the selection of your machines, over all others now on the market, as I think they are the best."

Yours Truly,

I, H. JONES.

THE CASE PURIFIER.

Petersburg, O., October 11, 1883.—Dear Sirs:—"Your Purifier is going to beat the World. No doubt about it."

SCHAADE, MAURER & SEITER.

CASE MANUFACTURING COMPANY, COLUMBUS, OHIO.